

Products for today's converging markets



apw

APW Enclosure Products

About APW Enclosure Products

THE COMPANY

APW is the global leader in the design and manufacturing of innovative enclosure and technical furniture systems. Serving the Audio/Video, Broadcast, Data Communications, Telecommunications, and Security environments, our products consolidate and secure your mission critical equipment while they adapt to today's evolving technology. APW brings together over 75 years of manufacturing expertise from the acquisitions and marriage of the PFT, Stantron and EMI product families. With a centralized manufacturing facility, APW ensures that its products are manufactured quickly, with 3-5 day lead times on most products and transported quickly around the country.

PRODUCTS DESIGNED FOR YOU AND YOUR TECHNOLOGY

APW products are engineered with both you and your technology in mind. Providing optimal access and storage, our flexible solutions help you work more efficiently, thereby increasing productivity. APW solutions support every element of your application – from audio/video and multimedia equipment, to complex monitoring systems, to rack-mount and tower servers, to extensive cabling operations, to seismic environments, and much more! Simply put, we are a virtual "one-stop-shop" for all your enclosure, rack, and security needs.

A LIFETIME OF QUALITY


APW products are designed and crafted to a higher standard. At the heart of our product quality lies the most stringent manufacturing and design principles. We don't cut corners. We don't make false promises. And we don't settle for anything but the best. These standards are exemplified in our Lifetime Warranty, which backs your APW products for as long as you own them, period.

DEDICATED SERVICES

APW's customer-first philosophy is based on 100% satisfaction – before, during and after your purchase. To ensure 100% satisfaction and prompt delivery, our factory-trained Regional Sales Representatives work directly with you along with our established network of distribution partners. In addition, our in-house team of Product Managers, Customer Care Representatives, and Engineering/Design Staff further help to configure, order and manage your project from concept to completion.

**Value in products...value in service.....value in investment
– that's APW Enclosure Products**


APW THE PROUD MANUFACTURERS OF:



For more information, please contact us today
CALL 800.558.7297 | www.apw.com

Products for today's converging markets

Description	Page
Pioneer Cabinets	4 – 15
Configurations	4 – 5
Build-Your-Own Configuration Key	6
Build-Your-Own Components	7 – 12
Pre-configured AVB Kits	13
Pre-configured Datacom Kits	14
Pre-configured Quicksilver Racks	15
Wall Mount Products	16 – 18
Mini-Max Enclosure	16
Swing Out Frame	17
Patch Panel Brackets	18
Open Frame Architecture	19 – 25
Cable Management Racks	19
Modular Networking Frames	20 – 21
Steel Relay Racks	22
Relay Rack Accessories	23
Cabling Ladder Rack	24 – 25
Screen Technology Systems	26 – 28
Cyberview	26 – 27
Keyboard Drawers	27
Rack Mount Monitors	27
KVM Switches and Accessories	28
Accessories Ordering Details	29 – 34
Cantilevered Shelves	29
Full Depth Shelves – Sliding and Fixed	29
Vertical/Horizontal Lacing Bars	30
Cable Management	30
Grounding Bars	30
Floor Mounting Kits for Frames	30
Cooling and Fan Trays	31
Filler Panels	31
Equipment Support Angles	31
Rack Mounts	32
Keyboard Shelves	32
Equipment Drawers	32
Drawers	32
Rack Mount Reducer Brackets	33
Cabinets Accessories	33
Power Products	34




Pioneer™ Cabinets

The Pioneer™ enclosure is the cornerstone of APW's enclosure line, offering flexibility, versatility and strength to meet the requirements of any Audio/Video, Broadcast, Data Communications, Telecommunications and Security application.

Offered in Pre-Configured, Build-Your-Own and Seismic models in over 25 different sizes creating hundreds of configuration possibilities, and a multitude of accessories to choose from including shelving, rack-mount monitors, cable management, cooling and power solutions.

Features

- Choose from 5 heights, 3 depths, 2 widths and a huge array of accessories
- 19" EIA or 24" EIA rack-mounting configurations
- Tapped or Cage-Nut mounting rails in multiple configurations
- 14-Gauge all steel construction supports up to 2,000lbs
- Exclusive InterWeld™ construction, with cross braces interlocked and welded into the corner post ensure maximum rigidity
- Can be bayed together for a completely integrated system solution
- Choose from 4 standard colors to compliment any environment; black, computer gray, light gray and royal blue



Pre-Configured Cabinet

PRE-CONFIGURED

The easy to order cabinet solution

3 unique Pre-Configured series to choose from
Initial and Add-on modules available:

AVB Kits

2 Heights (40U and 45U)

3 Depths (25", 30" and 36" external)

1 Width (22.16" external)

Tapped mounting rails

Datacom Kits

2 Heights (40U and 45U)

2 Depths (30" and 36" external)

1 Width (22.16")

Caged-nut mounting rails

Pioneer Quicksilver Cabling Kits

3 Heights (25U, 40U and 45U)

2 Depths (25" and 30" external)

1 Width (27.16" external)

Tapped cable management mounting rails



Build-Your-Own Cabinet

BUILD-YOUR-OWN

The versatile build-your-own cabinet solution

5 Heights (25U, 35U, 40U, 45U and 50U)

3 Depths (25", 30" and 36" external)

2 Widths (22" and 27" external)

Wide variety of accessories: see pages 29 – 34

UBC Seismic Compliant



Seismic Cabinet

SEISMIC

The strength you need

2 Heights (40U and 45U)

2 Depths (30" and 36" external)

2 Widths (22" and 27" external)

Bellcore Zone GR-63-CORE compliant

ACCESSORIES: see pages 29 – 34 for full list of accessories



Shelving



Riser bases



Cable management



Rack-mount power strips

Pioneer™ Cabinets: How to Configure

The Pioneer enclosure offers both the ease of ordering with simple pre-configured solutions to the versatility of a “self-configured” enclosure to your specific needs. Every Pioneer offers the same quality and strength that you have come to expect from APW.

Use the simple “5 Step” process to configure your own Pioneer Enclosure to suit your needs.

Mounting Rails

Rails are available with either 10-32 tapped mounting holes or in clip-nut configurations. Optional Cable Management Rails shown. Heavy-duty cable ties are included.

Equipment Shelf (Optional)

A variety of shelves are available to suit your needs; short depth/light duty shelves, full depth fixed or roll-out shelves.

Side Panels

Several styles of side panels are available to fit your installation and ventilation requirements, from solid, vented or fully perforated. Side panels sold in pairs and include a lock on each panel for added security.

Raised Pontoon Sub-Base


3” pontoon sub-base raises valuable equipment off the floor and can accommodate casters. Base includes levelers for on-site cabinet leveling.



Note: Frame shown is a Pioneer QuickSilver Cabling Enclosure (PDC1907030)*



Filler panels



Top fan panels

FIVE STEPS TO A CONFIGURED PIONEER™ CABINET

STEP 1

Select the frame. Choose the appropriate height, depth and width frame along with the type of mounting rails you would like.

STEP 2

Choose the door that best suits your application. Also specify the type of handle you want on your door, non-locking, key-lock, or combination lock handle.

STEP 3

Choose the side panels that best protect your equipment and provide the ventilation your installation requires. (Side panels sold as sets)

STEP 4

Choose your top panels that best fits your ventilation and cable management needs. Choose either a top panel kit (3 pieces or a full depth panel configuration).

STEP 5

Don't forget to finish your cabinet by adding the accessories to complete your cabinet; select from grounding bars, lacing bars, power accessories and rack-mount monitors and KVM devices.

Top Panels

Top panels offered in several different configurations based on your installation requirements. Three panel kits for cable management ease or full depth panels available in both solid, perforated and fan assembly configurations.

Optional Fan Panels

Fan panels are available to provide extra ventilation to your cabinet. Fan is internally mounted at the top of the enclosure. Fan panels can either be the full depth or can also be ordered with 2 cable management panels included.

14-Gauge Steel Construction

With a weight capacity of 2,000lbs., Pioneer's heavy-duty frame uses APW's Interweld™ design with cross braces interlocked and welded into the corner post

Front or Rear Door

Doors are available in solid, vented, perforated, perforated/lexan and full lexan configurations. Can be either left or right hand swinging. Don't forget to specify the handle type you require; non-locking, key-lock or combination lock.

Rack-Mount or Vertical Power Strips

Add the power management accessories that your installation needs. APW offers many different types of power, from rack-mount to vertical, from 15 Amp to 20 Amp and from low- to high-density.

Pioneer™ Cabinets: Build-Your-Own Configuration Key

Standard Frames

Standard Frames P22MT7830M	P	XX	X	X	XX	XX	X
	Pioneer Standard Frame	Width of Cabinet	Style of Rail	Mounting Type of Rail	Vertical Panel Opening (VPO)	Depth of Cabinet	Color
P	22 or 27	M – M style rail or C – Cable management rail	S – Square hole or T – Tapped hole 10-32	44, 61, 70, 78 or 88	25, 30 or 36	M – Black F – Computer Gray P – Light Gray E – Royal Blue	

Seismic Frames

Seismic Frames P22MT7830M	PZ	XX	X	X	XX	XX	X
	Pioneer Standard Frame	Width of Cabinet	Style of Rail	Mounting Type of Rail	Vertical Panel Opening (VPO)	Depth of Cabinet	Color
PZ	22 or 27	M – M style rail or C – Cable management rail	S – Square hole or T – Tapped hole 10-32	70 or 78	30 or 36	M – Black F – Computer Gray P – Light Gray E – Royal Blue	

Doors

Doors PDL52270R	PD	X(X)	XX	XX	XX	X
	Pioneer Door	Type of Door	Width of Cabinet	Vertical Panel Opening (VPO)	Swing Direction of Door	Color
PD	LP – Lexan Perforated LS – Lexan Solid P – Perforated V – Vented	22 or 27	44, 61, 70, 78 or 88	L – Left R – right	M – Black F – Computer Gray P – Light Gray E – Royal Blue	

Doors require handles to be specified and ordered separately

External Frame Widths

Catalog Width # (inches)	External Width* (inches)	Rack Mount (HPO)
22	22.16	19
27	27.16	24

* Width less side panels, add 1.20" for width with pair of side panels

Vertical Panel Openings

Catalog Height #	VPO (inches)	External height*	Rack Units
44	43.75	52.50	25U
61	61.25	70.00	35U
70	70.00	78.75	40U
78	78.75	87.50	45U
88	87.75	96.25	50U

* External height includes cabinet with leveler base, for height without leveler base subtract 3¼"

External Cabinet Depth

Catalog Depth# (inches)	External Depth* (inches)
25	25.63
30	30.88
36	36.12

* Depth less doors, add 1.88" per door for depth with doors

Side Panels

Side Panels PSP6130	PS	X	XX	XX	X
	Pioneer Side Panels	Type of Side Panel	Vertical Panel Opening (VPO)	Depth of Cabinet	Color
PS	S – Solid V – Vented P – Perforated	44, 61, 70, 78 or 88	25, 30 or 36	M – Black F – Computer Gray P – Light Gray E – Royal Blue	

Top Panels

Single Panel Format FPS1921	FP	X(X)	XX	XX	X
	Formed Panels	Type of Panel	Horiz. Panel Opening (HPO)	Panel Depth [¶]	Color
FP	S – Solid P – Perforated 4F – Four Fan	19 or 24	21, 26 or 31	M – Black F – Computer Gray P – Light Gray E – Royal Blue	

[¶] Panel Depth is opening size on top of cabinet, panels are also mountable on vertical panel opening

Cable Management Panel Format (3 panels) PT4E2425	PT	X(X)	XX	XX	X
	Pioneer Top Panel	Type of Panel	Horiz. Panel Opening (HPO)	Depth of Cabinet	Color
PT	S – Solid P – Perforated 4F – Four Fan	19 or 24	25, 30 or 36	M – Black F – Computer Gray P – Light Gray E – Royal Blue	

All order codes shown are examples for demonstrative purposes.


Consult your APW sales representative for a complete listing of Pioneer Build-Your-Own product options.

Pioneer™ Cabinets: Build-Your-Own Configurations


Pioneer Standard Frames

	Order code	Cabinet Depth	Cabinet Width	VPO	Style of Rail	Mounting Rail Type	Color Options
Pioneer Standard Frames: M Style Rails, Square Hole	P22MS4425	25					M – Black F – Computer Gray P – Light Gray E – Royal Blue
	P22MS4430	30	22	44	M	S	
	P22MS4436	36					
	P22MS6125	25					M – Black F – Computer Gray P – Light Gray E – Royal Blue
	P22MS6130	30	22	61	M	S	
	P22MS6136	36					
	P22MS7025	25					M – Black F – Computer Gray P – Light Gray E – Royal Blue
	P22MS7030	30	22	70	M	S	
	P22MS7036	36					
	P22MS7825	25					M – Black F – Computer Gray P – Light Gray E – Royal Blue
	P22MS7830	30	22	78	M	S	
	P22MS7836	36					
	P22MS8825	25					M – Black F – Computer Gray P – Light Gray E – Royal Blue
	P22MS8830	30	22	88	M	S	
	P22MS8836	36					
Pioneer Standard Frames: M Style Rails, Tapped Hole	P22MT4425	25					M – Black F – Computer Gray P – Light Gray E – Royal Blue
	P22MT4430	30	22	44	M	T	
	P22MT4436	36					
	P22MT6125	25					M – Black F – Computer Gray P – Light Gray E – Royal Blue
	P22MT6130	30	22	61	M	T	
	P22MT6136	36					
	P22MT7025	25					M – Black F – Computer Gray P – Light Gray E – Royal Blue
	P22MT7030	30	22	70	M	T	
	P22MT7036	36					
	P22MT7825	25					M – Black F – Computer Gray P – Light Gray E – Royal Blue
	P22MT7830	30	22	78	M	T	
	P22MT7836	36					
	P22MT8825	25					M – Black F – Computer Gray P – Light Gray E – Royal Blue
	P22MT8830	30	22	88	M	T	
	P22MT8836	36					


Mounting Rail Types and Styles




M Style mounting rail with S mounting type



M Style mounting rail with T mounting type



C Style mounting rail with S mounting type



C Style mounting rail with T mounting type

Pioneer™ Cabinets – continued >

Pioneer™ Cabinets: Build-Your-Own Configurations

Pioneer Standard Frames

	Order code	Cabinet Depth	Cabinet Width	VPO	Style of Rail	Mounting Rail Type	Color Options
Pioneer Standard Frames: C Style Rails, Square Hole	P27CS4425	25					M – Black F – Computer Gray P – Light Gray E – Royal Blue
	P27CS4430	30	27	44	C	S	
	P27CS4436	36					
	P27CS7025	25					M – Black F – Computer Gray P – Light Gray E – Royal Blue
	P27CS7030	30	27	70	C	S	
	P27CS7036	36					
	P27CS7825	25					M – Black F – Computer Gray P – Light Gray E – Royal Blue
	P27CS7830	30	27	78	C	S	
	P27CS7836	36					
Pioneer Standard Frames: C Style Rails, Tapped Hole	P27CT4425	25					M – Black F – Computer Gray P – Light Gray E – Royal Blue
	P27CT4430	30	27	44	C	T	
	P27CT4436	36					
	P27CT7025	25					M – Black F – Computer Gray P – Light Gray E – Royal Blue
	P27CT7030	30	27	70	C	T	
	P27CT7036	36					
	P27CT7825	25					M – Black F – Computer Gray P – Light Gray E – Royal Blue
	P27CT7830	30	27	78	C	T	
	P27CT7836	36					
Pioneer Standard Frames: M Style Rails, Square Hole	P27MS7025	25					M – Black F – Computer Gray P – Light Gray E – Royal Blue
	P27MS7030	30	27	70	M	S	
	P27MS7036	36					
	P27MS7825	25					M – Black F – Computer Gray P – Light Gray E – Royal Blue
	P27MS7830	30	27	78	M	S	
	P27MS7836	36					
	P27MS8825	25					M – Black F – Computer Gray P – Light Gray E – Royal Blue
	P27MS8830	30	27	88	M	S	
	P27MS8836	36					
Pioneer Standard Frames: M Style Rails, Tapped Hole	P27MT4425	25					M – Black F – Computer Gray P – Light Gray E – Royal Blue
	P27MT4430	30	27	44	M	T	
	P27MT4436	36					
	P27MT6125	25					M – Black F – Computer Gray P – Light Gray E – Royal Blue
	P27MT6130	30	27	61	M	T	
	P27MT6136	36					
	P27MT7025	25					M – Black F – Computer Gray P – Light Gray E – Royal Blue
	P27MT7030	30	27	70	M	T	
	P27MT7036	36					
	P27MT7825	25					M – Black F – Computer Gray P – Light Gray E – Royal Blue
	P27MT7830	30	27	78	M	T	
	P27MT7836	36					
	P27MT8825	25					M – Black F – Computer Gray P – Light Gray E – Royal Blue
	P27MT8830	30	27	88	M	T	
	P27MT8836	36					

Pioneer™ Cabinets: Build-Your-Own Configurations

Pioneer Seismic Frames

	Order code	Cabinet Depth	Cabinet Width	VPO	Style of Rail	Mounting Rail Type	Color Options
Seismic Frame Style: 22MT	PZ22MT7030	30	22	70	M	T	M – Black F – Computer Gray P – Light Gray E – Royal Blue
	PZ22MT7036	36					
	PZ22MT7830	30	22	78	M	T	
	PZ22MT7836	36					
Seismic Frame Style: 27CS	PZ27CS7030	30	27	70	C	S	M – Black F – Computer Gray P – Light Gray E – Royal Blue
	PZ27CS7036	36					
	PZ27CS7830	30	27	78	C	S	
	PZ27CS7836	36					
Seismic Frame Style: 27CT	PZ27CT7030	30	27	70	C	T	M – Black F – Computer Gray P – Light Gray E – Royal Blue
	PZ27CT7036	36					
	PZ27CT7830	30	27	78	C	T	
	PZ27CT7836	36					
Seismic Frame Style: 27MS	PZ27MS7030	30	27	70	M	S	M – Black F – Computer Gray P – Light Gray E – Royal Blue
	PZ27MS7036	36					
	PZ27MS7830	30	27	78	M	S	
	PZ27MS7836	36					
Seismic Frame Style: 27MT	PZ27MT7030	30	27	70	M	T	M – Black F – Computer Gray P – Light Gray E – Royal Blue
	PZ27MT7036	36					
	PZ27MT7830	30	27	78	M	T	
	PZ27MT7836	36					

Pioneer Wedge Frames

	Order code	Cabinet Depth	Degree of Wedge	VPO	Color Options
Pioneer Wedge Frame: 30°	PW304425	25	30°	44	M – Black F – C. Gray P – L. Gray E – R. Blue
	PW304430	30			
	PW304436	36			
	PW306125	25	30°	61	M – Black F – C. Gray P – L. Gray E – R. Blue
	PW306130	30			
	PW306136	36			
	PW307025	25	30°	70	M – Black F – C. Gray P – L. Gray E – R. Blue
	PW307030	30			
	PW307036	36			
	PW307825	25	30°	78	M – Black F – C. Gray P – L. Gray E – R. Blue
	PW307830	30			
	PW307836	36			
Pioneer Wedge Frame: 45°	PW454425	25	45°	44	M – Black F – C. Gray P – L. Gray E – R. Blue
	PW454430	30			
	PW454436	36			
	PW456125	25	45°	61	M – Black F – C. Gray P – L. Gray E – R. Blue
	PW456130	30			
	PW456136	36			
	PW457025	25	45°	70	M – Black F – C. Gray P – L. Gray E – R. Blue
	PW457030	30			
	PW457036	36			
	PW457825	25	45°	78	M – Black F – C. Gray P – L. Gray E – R. Blue
	PW457830	30			
	PW457836	36			

Pioneer Top Panel Kits – three pieces

	Order code	Cabinet Depth	Cabinet Width	Panel Type	Color Options
Top Panel: Perforated	PTP1925	25	22	Perforated	M – Black F – C. Gray P – L. Gray E – R. Blue
	PTP1930	30			
	PTP1936	36			
	PTP2425	25	27		
	PTP2430	30			
	PTP2436	36			
Top Panel: Solid	PTS1925	25	22	Solid	M – Black F – C. Gray P – L. Gray E – R. Blue
	PTS1930	30			
	PTS1936	36			
	PTS2425	25	27		
	PTS2430	30			
	PTS2436	36			
Top Panel: 4 Fans	PT4F1925	25	22	4 Fans	M – Black F – C. Gray P – L. Gray E – R. Blue
	PT4F1930	30			
	PT4F1936	36			
	PT4F2425	25	27		
	PT4F2430	30			
	PT4F2436	36			

Pioneer™ Cabinets – continued >

Pioneer™ Cabinets: Build-Your-Own Configurations

Pioneer Side Panels

	Order code	Cabinet Depth	VPO	Style	Color Options
Pioneer Side Panels: Perforated	PSP4425	25	44	Perforated	M – Black F – C. Gray P – L. Gray E – R. Blue
	PSP4430	30			
	PSP4436	36			
	PSP6125	25	61	Perforated	M – Black F – C. Gray P – L. Gray E – R. Blue
	PSP6130	30			
	PSP6136	36			
	PSP7025	25	70	Perforated	M – Black F – C. Gray P – L. Gray E – R. Blue
	PSP7030	30			
	PSP7036	36			
	PSP7825	25	78	Perforated	M – Black F – C. Gray P – L. Gray E – R. Blue
	PSP7830	30			
	PSP7836	36			
	PSP8825	25	88	Perforated	M – Black F – C. Gray P – L. Gray E – R. Blue
	PSP8830	30			
	PSP8836	36			
Pioneer Side Panels: Solid	PSS4425	25	44	Solid	M – Black F – C. Gray P – L. Gray E – R. Blue
	PSS4430	30			
	PSS4436	36			
	PSS6125	25	61	Solid	M – Black F – C. Gray P – L. Gray E – R. Blue
	PSS6130	30			
	PSS6136	36			
	PSS7025	25	70	Solid	M – Black F – C. Gray P – L. Gray E – R. Blue
	PSS7030	30			
	PSS7036	36			
	PSS7825	25	78	Solid	M – Black F – C. Gray P – L. Gray E – R. Blue
	PSS7830	30			
	PSS7836	36			
	PSS8825	25	88	Solid	M – Black F – C. Gray P – L. Gray E – R. Blue
	PSS8830	30			
	PSS8836	36			
Pioneer Side Panels: Vented	PSV4425	25	44	Vented	M – Black F – C. Gray P – L. Gray E – R. Blue
	PSV4430	30			
	PSV4436	36			
	PSV6125	25	61	Vented	M – Black F – C. Gray P – L. Gray E – R. Blue
	PSV6130	30			
	PSV6136	36			
	PSV7025	25	70	Vented	M – Black F – C. Gray P – L. Gray E – R. Blue
	PSV7030	30			
	PSV7036	36			
	PSV7825	25	78	Vented	M – Black F – C. Gray P – L. Gray E – R. Blue
	PSV7830	30			
	PSV7836	36			
	PSV8825	25	88	Vented	M – Black F – C. Gray P – L. Gray E – R. Blue
	PSV8830	30			
	PSV8836	36			

Pioneer Doors

	Order code	Hinged	VPO	Cabinet Width	Color Options
Pioneer Doors: Lexan Perforated	PDLP2244L	Left hand	43.75"	22	M – Black F – Computer Gray P – Light Gray E – Royal Blue
	PDLP2244R	Right hand			
	PDLP2261L	Left hand	61.25"		
	PDLP2261R	Right hand			
	PDLP2270L	Left hand	70.00"		
	PDLP2270R	Right hand			
	PDLP2278L	Left hand	78.75"		
	PDLP2278R	Right hand			
	PDLP2288L	Left hand	87.50"		
	PDLP2288R	Right hand			
	PDLP2744L	Left hand	43.75"	27	M – Black F – Computer Gray P – Light Gray E – Royal Blue
	PDLP2744R	Right hand			
	PDLP2761L	Left hand	61.25"		
	PDLP2761R	Right hand			
	PDLP2770L	Left hand	70.00"		
	PDLP2770R	Right hand			
	PDLP2778L	Left hand	78.75"		
	PDLP2778R	Right hand			
	PDLP2788L	Left hand	87.50"		
	PDLP2788R	Right hand			
Pioneer Doors: Lexan Solid	PDLS2244L	Left hand	43.75"	22	M – Black F – Computer Gray P – Light Gray E – Royal Blue
	PDLS2244R	Right hand			
	PDLS2261L	Left hand	61.25"		
	PDLS2261R	Right hand			
	PDLS2270L	Left hand	70.00"		
	PDLS2270R	Right hand			
	PDLS2278L	Left hand	78.75"		
	PDLS2278R	Right hand			
	PDLS2288L	Left hand	87.50"		
	PDLS2288R	Right hand			
	PDLS2744L	Left hand	43.75"	27	M – Black F – Computer Gray P – Light Gray E – Royal Blue
	PDLS2744R	Right hand			
	PDLS2761L	Left hand	61.25"		
	PDLS2761R	Right hand			
	PDLS2770L	Left hand	70.00"		
	PDLS2770R	Right hand			
	PDLS2778L	Left hand	78.75"		
	PDLS2778R	Right hand			
	PDLS2788L	Left hand	87.50"		
	PDLS2788R	Right hand			

Pioneer™ Cabinets: Build-Your-Own Configurations

	Order code	Hinged	VPO	Cabinet Width	Color Options
Pioneer Doors: Steel Perforated	PDP2244L	Left hand	43.75"	22	M – Black F – Computer Gray P – Light Gray E – Royal Blue
	PDP2244R	Right hand			
	PDP2261L	Left hand	61.25"		
	PDP2261R	Right hand			
	PDP2270L	Left hand	70.00"		
	PDP2270R	Right hand			
	PDP2278L	Left hand	78.75"		
	PDP2278R	Right hand			
	PDP2288L	Left hand	87.50"		
	PDP2288R	Right hand			
	PDP2744L	Left hand	43.75"	27	M – Black F – Computer Gray P – Light Gray E – Royal Blue
	PDP2744R	Right hand			
	PDP2761L	Left hand	61.25"		
	PDP2761R	Right hand			
	PDP2770L	Left hand	70.00"		
	PDP2770R	Right hand			
	PDP2778L	Left hand	78.75"		
	PDP2778R	Right hand			
PDP2788L	Left hand	87.50"			
PDP2788R	Right hand				
Pioneer Doors: Steel Solid	PDS2244L	Left hand	43.75"	22	M – Black F – Computer Gray P – Light Gray E – Royal Blue
	PDS2244R	Right hand			
	PDS2261L	Left hand	61.25"		
	PDS2261R	Right hand			
	PDS2270L	Left hand	70.00"		
	PDS2270R	Right hand			
	PDS2278L	Left hand	78.75"		
	PDS2278R	Right hand			
	PDS2288L	Left hand	87.50"		
	PDS2288R	Right hand			
	PDS2744L	Left hand	43.75"	27	M – Black F – Computer Gray P – Light Gray E – Royal Blue
	PDS2744R	Right hand			
	PDS2761L	Left hand	61.25"		
	PDS2761R	Right hand			
	PDS2770L	Left hand	70.00"		
	PDS2770R	Right hand			
	PDS2778L	Left hand	78.75"		
	PDS2778R	Right hand			
PDS2788L	Left hand	87.50"			
PDS2788R	Right hand				
Pioneer Doors: Steel Vented	PDV2244L	Left hand	43.75"	22	M – Black F – Computer Gray P – Light Gray E – Royal Blue
	PDV2244R	Right hand			
	PDV2261L	Left hand	61.25"		
	PDV2261R	Right hand			
	PDV2270L	Left hand	70.00"		
	PDV2270R	Right hand			
	PDV2278L	Left hand	78.75"		
	PDV2278R	Right hand			
	PDV2288L	Left hand	87.50"		
	PDV2288R	Right hand			
	PDV2744L	Left hand	43.75"	27	M – Black F – Computer Gray P – Light Gray E – Royal Blue
	PDV2744R	Right hand			
	PDV2761L	Left hand	61.25"		
	PDV2761R	Right hand			
	PDV2770L	Left hand	70.00"		
	PDV2770R	Right hand			
	PDV2778L	Left hand	78.75"		
	PDV2778R	Right hand			
PDV2788L	Left hand	87.50"			
PDV2788R	Right hand				

Pioneer Handle/Locking Options

Order code	Description
PBLANK	Handle with non-locking insert, removable core
PHCOMBO4RK	Handle with four roller combination/key lock, 2 keys
PHL100	Handle with lock, removable core, 2 keys #100
PHL101	Handle with lock, removable core, 2 keys #101
PHL102	Handle with lock, removable core, 2 keys #102
PHL103	Handle with lock, removable core, 2 keys #103
PHL104	Handle with lock, removable core, 2 keys #104
PHL105	Handle with lock, removable core, 2 keys #105
PHL106	Handle with lock, removable core, 2 keys #106
PHL107	Handle with lock, removable core, 2 keys #107
PHL108	Handle with lock, removable core, 2 keys #108
PHL109	Handle with lock, removable core, 2 keys #109
PHL110	Handle with lock, removable core, 2 keys #110
PHL111	Handle with lock, removable core, 2 keys #111
PHL112	Handle with lock, removable core, 2 keys #112
PHL113	Handle with lock, removable core, 2 keys #113
PHL114	Handle with lock, removable core, 2 keys #114
PHL115	Handle with lock, removable core, 2 keys #115
PHL116	Handle with lock, removable core, 2 keys #116
PHL117	Handle with lock, removable core, 2 keys #117
PHL118	Handle with lock, removable core, 2 keys #118
PHL119	Handle with lock, removable core, 2 keys #119
PHL120	Handle with lock, removable core, 2 keys #120
PHL121	Handle with lock, removable core, 2 keys #121
PHL122	Handle with lock, removable core, 2 keys #122
PHL123	Handle with lock, removable core, 2 keys #123
PHL124	Handle with lock, removable core, 2 keys #124
PHL125	Handle with lock, removable core, 2 keys #125

Pioneer Full Depth Top Panels

	Order code	Cabinet Depth	Cabinet Width	Panel Type	Color Options
Top Panel: Perforated	FPP1921	25	22	Perforated	M – Black F – C. Gray P – L. Gray E – R. Blue
	FPP1926	30			
	FPP1931	36			
	FPP2421	25			
Top Panel: Solid	FPP2426	30	27	Perforated	M – Black F – C. Gray P – L. Gray E – R. Blue
	FPP2431	36			
	FPS1921	25			
	FPS1926	30			
Top Panel: Solid	FPS1931	36	22	Solid	M – Black F – C. Gray P – L. Gray E – R. Blue
	FPS2421	25			
	FPS2426	30			
	FPS2431	36			
Top Panel: 4 Fans	T4FP1921	25	22	4 Fans	M – Black F – C. Gray P – L. Gray E – R. Blue
	T4FP1926	30			
	T4FP1931	36			
	T4FP2421	25			
	T4FP2426	30			
	T4FP2431	36			
Top Panel: 4 Fans	T4FP1921	25	27	4 Fans	M – Black F – C. Gray P – L. Gray E – R. Blue
	T4FP1926	30			
	T4FP1931	36			
	T4FP2421	25			
	T4FP2426	30			
	T4FP2431	36			

Pioneer™ Cabinets: Build-Your-Own Configurations

Spacer Frames

Order code	Cabinet Depth	Spacer Width	VPO	Color Options
PSF27025	25			M – Black
PSF27030	30	1.84"	70	F – C. Gray P – L. Gray
PSF27036	36			E – R. Blue
PSF27825	25			M – Black
PSF27830	30	1.84"	78	F – C. Gray P – L. Gray
PSF27836	36			E – R. Blue
PSF28825	25			M – Black
PSF28830	30	1.84"	88	F – C. Gray P – L. Gray
PSF28836	36			E – R. Blue
PSF34425	25			M – Black
PSF34430	30	3"	44	F – C. Gray P – L. Gray
PSF34436	36			E – R. Blue
PSF36125	25			M – Black
PSF36130	30	3"	61	F – C. Gray P – L. Gray
PSF36136	36			E – R. Blue
PSF37025	25			M – Black
PSF37030	30	3"	70	F – C. Gray P – L. Gray
PSF37036	36			E – R. Blue
PSF37825	25			M – Black
PSF37830	30	3"	78	F – C. Gray P – L. Gray
PSF37836	36			E – R. Blue
PSF38825	25			M – Black
PSF38830	30	3"	88	F – C. Gray P – L. Gray
PSF38836	36			E – R. Blue
PSF44425	25			M – Black
PSF44430	30	4"	44	F – C. Gray P – L. Gray
PSF44436	36			E – R. Blue
PSF46125	25			M – Black
PSF46130	30	4"	61	F – C. Gray P – L. Gray
PSF46136	36			E – R. Blue
PSF47025	25			M – Black
PSF47030	30	4"	70	F – C. Gray P – L. Gray
PSF47036	36			E – R. Blue
PSF47825	25			M – Black
PSF47830	30	4"	78	F – C. Gray P – L. Gray
PSF47836	36			E – R. Blue
PSF48825	25			M – Black
PSF48830	30	4"	88	F – C. Gray P – L. Gray
PSF48836	36			E – R. Blue

Order code	Cabinet Depth	Spacer Width	VPO	Color Options
PSF54425	25			M – Black
PSF54430	30	5"	44	F – C. Gray P – L. Gray
PSF54436	36			E – R. Blue
PSF56125	25			M – Black
PSF56130	30	5"	61	F – C. Gray P – L. Gray
PSF56136	36			E – R. Blue
PSF57025	25			M – Black
PSF57030	30	5"	70	F – C. Gray P – L. Gray
PSF57036	36			E – R. Blue
PSF57825	25			M – Black
PSF57830	30	5"	78	F – C. Gray P – L. Gray
PSF57836	36			E – R. Blue
PSF58825	25			M – Black
PSF58830	30	5"	88	F – C. Gray P – L. Gray
PSF58836	36			E – R. Blue
PSF64425	25			M – Black
PSF64430	30	6"	44	F – C. Gray P – L. Gray
PSF64436	36			E – R. Blue
PSF66125	25			M – Black
PSF66130	30	6"	61	F – C. Gray P – L. Gray
PSF66136	36			E – R. Blue
PSF67025	25			M – Black
PSF67030	30	6"	70	F – C. Gray P – L. Gray
PSF67036	36			E – R. Blue
PSF67825	25			M – Black
PSF67830	30	6"	78	F – C. Gray P – L. Gray
PSF67836	36			E – R. Blue
PSF68825	25			M – Black
PSF68830	30	6"	88	F – C. Gray P – L. Gray
PSF68836	36			E – R. Blue

Pioneer™ Cabinets: Pre-Configured AVB Kits

AVB Pre-Configured Initial Assemblies

	Order code	Overall Depth*	Overall Width**	Overall Height	Rack Units	VPO	HPO
Series 1 AVB Initial Kits	PVK122MT7025	25.63"					
	PVK122MT7030	30.88"	22.16"	78.75"	40U	70.25"	19"
	PVK122MT7036	36.12"					
	PVK122MT7825	25.63"					
	PVK122MT7830	30.88"	22.16"	87.50"	45U	78.75"	19"
	PVK122MT7836	36.12"					
Series 2 AVB Initial Kits	PVK222MT7025	25.63"					
	PVK222MT7030	30.88"	22.16"	78.75"	40U	70.25"	19"
	PVK222MT7036	36.12"					
	PVK222MT7825	25.63"					
	PVK222MT7830	30.88"	22.16"	87.50"	45U	78.75"	19"
	PVK222MT7836	36.12"					
Series 3 AVB Initial Kits	PVK322MT7025	25.63"					
	PVK322MT7030	30.88"	22.16"	78.75"	40U	70.25"	19"
	PVK322MT7036	36.12"					
	PVK322MT7825	25.63"					
	PVK322MT7830	30.88"	22.16"	87.50"	45U	78.75"	19"
	PVK322MT7836	36.12"					
Series 4 AVB Initial Kits	PVK422MT7025	25.63"					
	PVK422MT7030	30.88"	22.16"	78.75"	40U	70.25"	19"
	PVK422MT7036	36.12"					
	PVK422MT7825	25.63"					
	PVK422MT7830	30.88"	22.16"	87.50"	45U	78.75"	19"
	PVK422MT7836	36.12"					

AVB Pre-Configured Add-on Assemblies (Add-on Assemblies do not include side panels)

	Order code	Overall Depth	Overall Width	Overall Height	Rack Units	VPO	HPO
Series 1 AVB Add-on Kits	PVA122MT7025	25.63"					
	PVA122MT7030	30.88"	22.16"	78.75"	40U	70.25"	19"
	PVA122MT7036	36.12"					
	PVA122MT7825	25.63"					
	PVA122MT7830	30.88"	22.16"	87.50"	45U	78.75"	19"
	PVA122MT7836	36.12"					
Series 2 AVB Add-on Kits	PVA222MT7025	25.63"					
	PVA222MT7030	30.88"	22.16"	78.75"	40U	70.25"	19"
	PVA222MT7036	36.12"					
	PVA222MT7825	25.63"					
	PVA222MT7830	30.88"	22.16"	87.50"	45U	78.75"	19"
	PVA222MT7836	36.12"					

Contents of kits

AVB Series 1	Enclosure frame, base with (4) levelers, solid rear door, blank – non-locking handle, solid side panel set and two pair (4) 10-32 tapped mounting rails
AVB Series 2	Enclosure frame, base with (4) levelers, vented rear door, blank – non-locking handle, vented side panel set and two pair (4) 10-32 tapped mounting rails
AVB Series 3	Enclosure frame, base with (4) levelers, vented rear door, blank – non-locking handle, solid side panel set and two pair (4) 10-32 tapped mounting rails
AVB Series 4	Enclosure frame, base with (4) levelers, solid rear door, blank – non-locking handle, vented side panel set and two pair (4) 10-32 tapped mounting rails

* Overall depth of cabinet without doors – add 1.88" for a single door with handle.

** Overall width of cabinet without side panels – add 1.20" for a set of side panels.

Note: All frames are available in the standard color offering: M – Black, F – Computer Gray, P – Light Gray and E – Royal Blue

Pioneer™ Cabinets: Pre-Configured Datacom Kits

Datacom Pre-Configured Initial Assemblies

	Order code	Overall Depth	Overall Width	Overall Height	Rack Units	VPO	HPO
Series 1 Datacom Initial Kits	PK122MS7030	30.88"	22.16"	78.75"	40U	70.25"	19"
	PK122MS7036	36.12"		78.75"			
	PK122MS7830	30.88"	22.16"	87.50"	45U	78.75"	19"
	PK122MS7836	36.12"		87.50"			
Series 2 Datacom Initial Kits	PK222MS7030	30.88"	22.16"	78.75"	40U	70.25"	19"
	PK222MS7036	36.12"		78.75"			
	PK222MS7830	30.88"	22.16"	87.50"	45U	78.75"	19"
	PK222MS7836	36.12"		87.50"			
Series 3 Datacom Initial Kits	PK322MS7030	30.88"	22.16"	78.75"	40U	70.25"	19"
	PK322MS7036	36.12"		78.75"			
	PK322MS7830	30.88"	22.16"	87.50"	45U	78.75"	19"
	PK322MS7836	36.12"		87.50"			
Series 4 Datacom Initial Kits	PK422MS7030	30.88"	22.16"	78.75"	40U	70.25"	19"
	PK422MS7036	36.12"		78.75"			
	PK422MS7830	30.88"	22.16"	87.50"	45U	78.75"	19"
	PK422MS7836	36.12"		87.50"			

Datacom Pre-Configured Add-on Assemblies (Add-on Assemblies do not include side panels)

	Order code	Overall Depth	Overall Width	Overall Height	Rack Units	VPO	HPO
Series 1 Datacom Add-on Kits	PA122MS7030	30.88"	22.16"	78.75"	40U	70.25"	19"
	PA122MS7036	36.12"		78.75"			
	PA122MS7830	30.88"	22.16"	87.50"	45U	78.75"	19"
	PA122MS7836	36.12"		87.50"			
Series 2 Datacom Add-on Kits	PA222MS7030	30.88"	22.16"	78.75"	40U	70.25"	19"
	PA222MS7036	36.12"		78.75"			
	PA222MS7830	30.88"	22.16"	87.50"	45U	78.75"	19"
	PA222MS7836	36.12"		87.50"			
Series 3 Datacom Add-on Kits	PA322MS7030	30.88"	22.16"	78.75"	40U	70.25"	19"
	PA322MS7036	36.12"		78.75"			
	PA322MS7830	30.88"	22.16"	87.50"	45U	78.75"	19"
	PA322MS7836	36.12"		87.50"			
Series 4 Datacom Add-on Kits	PA422MS7030	30.88"	22.16"	78.75"	40U	70.25"	19"
	PA422MS7036	36.12"		78.75"			
	PA422MS7830	30.88"	22.16"	87.50"	45U	78.75"	19"
	PA422MS7836	36.12"		87.50"			

Contents of kits

Datacom Series 1	Enclosure frame, base with (4) levelers, lexan-perforated front door with locking handle, perforated rear door with locking handle, solid side panel set, perforated top panel kit (3 pieces) and two pair (4) 0.375" clearance-hole mounting rails
Datacom Series 2	Enclosure frame, base with (4) levelers, lexan-perforated front door with locking handle, perforated rear door with locking handle, solid side panel set, top fan panel kit (3 pieces) and two pair (4) 0.375" clearance-hole mounting rails
Datacom Series 3	Enclosure frame, base with (4) levelers, perforated front door with locking handle, perforated rear door with locking handle, solid side panel set, perforated top panel kit (3 pieces) and two pair (4) 0.375" clearance-hole mounting rails
Datacom Series 4	Enclosure frame, base with (4) levelers, lexan-perforated front door with locking handle, perforated rear door with locking handle, perforated side panel set, perforated top panel kit (3 pieces) and two pair (4) 0.375" clearance-hole mounting rails

Note: All frames are available in the standard color offering: M – Black, F – Computer Gray, P – Light Gray and E – Royal Blue

Pioneer™ Quicksilver™ Cabling Enclosures

Pioneer–Quicksilver Basic Enclosure – Initial Unit

Ordering information

Vertical Panel Opening (in.)	Overall height	Rack units	Horiz. panel opening (in.)	Overall width (in.)*	Overall depth (in.)**	Order code
43.75"	52.50"	25U	19	27.16	25.63	PDC1904425
					30.88	PDC1904430
70.00"	78.75"	40U	19	27.16	25.63	PDC1907025
					30.88	PCD1907030
78.75"	87.50"	45U	19	27.16	25.63	PDC1907825
					30.88	PCD1907830

Pioneer–Quicksilver Basic Enclosure – Add-on Unit (Add-on Assemblies do not include side panels)

43.75"	52.50"	25U	19	27.16	25.63	PDC1904425NS
					30.88	PDC1904430NS
70.00"	78.75"	40U	19	27.16	25.63	PCD1907025NS
					30.88	PCD1907030NS
78.75"	87.50"	45U	19	27.16	25.63	PCD1907825NS
					30.88	PCD1907830NS

Pioneer–Quicksilver Pre-Configured Enclosure – Initial Unit

43.75"	52.50"	25U	19	27.16	25.63	PDC1904425KIT
					30.88	PDC1904430KIT
70.00"	78.75"	40U	19	27.16	25.63	PCD1907025KIT
					30.88	PCD1907030KIT
78.75"	87.50"	45U	19	27.16	25.63	PCD1907825KIT
					30.88	PCD1907830KIT

Pioneer–Quicksilver Pre-Configured Enclosure – Add-on Unit (Add-on Assemblies do not include side panels)

43.75"	52.50"	25U	19	27.16	25.63	PDC1904425KITNS
					30.88	PDC1904430KITNS
70.00"	78.75"	40U	19	27.16	25.63	PCD1907025KITNS
					30.88	PCD1907030KITNS
78.75"	87.50"	45U	19	27.16	25.63	PCD1907825KITNS
					30.88	PCD1907830KITNS

* Overall width of cabinet without side panels. Add 1.20" for a set of side panels

** Overall depth of cabinet without doors. Add 1.88" for a single door with handle


Note: All frames are available in the standard color offering: M – Black, F – Computer Gray, P – Light Gray and E – Royal Blue

Contents of kits

Basic Enclosure Initial Kit	Enclosure frame, base with (4) levelers, lexan perforated front door with locking handle, vented rear door with locking handle, vented side panel set, top front panel/cable management kit (3 pieces) and two pair (4) 10-32 tapped 19" cable management style mounting rails
Basic Enclosure Add-on Kit	Enclosure frame, base with (4) levelers, lexan perforated front door with locking handle, vented rear door with locking handle, top front panel/cable management kit (3 pieces) and two pair (4) 10-32 tapped 19" cable management style mounting rails
Pre-configured Enclosure Initial Kit	Enclosure frame, base with (4) levelers, lexan perforated front door with locking handle, vented rear door with locking handle, vented side panel set, top front panel/cable management kit (3 pieces) and two pair (4) 10-32 tapped 19" cable management style mounting rails, interior overhead light, four point fixed full depth shelf (1), six outlet 15 Amp power strip and document storage pocket (1) on rear door
Pre-configured Enclosure Add-on Kit	Enclosure frame, base with (4) levelers, lexan perforated front door with locking handle, vented rear door with locking handle, top front panel/cable management kit (3 pieces) and two pair (4) 10-32 tapped 19" cable management style mounting rails, interior overhead light, four point fixed full depth shelf (1), six outlet 15 Amp power strip and document storage pocket (1) on rear door



ACCESSORIES



Wall Mount Products

MINI-MAX

Mini-Max Wall Mount Enclosures are the perfect storage solution for today's demanding, space-constrained applications.

Convenient and flexible, these 19" EIA rack-mount enclosures allow you to manage and secure critical network wiring, hubs, concentrators, routers, patch panels, and audio/video equipment in a minimal amount of space. Offered in a variety of sizes (24 standard models) with door and ventilation options, Mini-Max delivers the perfect combination of form and functionality for virtually any application.

Features

- Available in 3 heights (12U, 20U and 26U), 1 width (21.50") and 2 depths (14" and 20")
- Multiple configuration options available, including solid or Plexiglas™ doors, and solid or vented sides
- Dual tapped and field reversible 10-32 and 12-24 mounting rails (1 set per cabinet)
- Choose from four colors: black, computer gray, light gray or royal blue

ACCESSORIES



Shelves



Rack-mount power strips



Cable management



110 CFM fan



Mini-Max Wall Mount Enclosure

Wall Mount Enclosures

	Order code	Sides	Door Type	VPO	Ext. Height	Usable Depth	Ext. Depth	HPO	Ext. Width
12U Cabinets	WCF192114PL	Vented	Plexiglas	21.00"	23.13"	14.00"	20.16"	19"	21.25"
	WCF192114PS	Solid							
	WCF192114SL	Vented	Solid	21.00"	23.13"	14.00"	20.16"	19"	21.25"
	WCF192114SS	Solid							
	WCF192120PL	Vented	Plexiglas	21.00"	23.13"	20.00"	26.16"	19"	21.25"
	WCF192120PS	Solid							
	WCF192120SL	Vented	Solid	21.00"	23.13"	20.00"	26.16"	19"	21.25"
	WCF192120SS	Solid							
20U Cabinets	WCF193514PL	Vented	Plexiglas	35.00"	37.13"	14.00"	20.16"	19"	21.25"
	WCF193514PS	Solid							
	WCF193514SL	Vented	Solid	35.00"	37.13"	14.00"	20.16"	19"	21.25"
	WCF193514SS	Solid							
	WCF193520PL	Vented	Plexiglas	35.00"	37.13"	20.00"	26.16"	19"	21.25"
	WCF193520PS	Solid							
	WCF193520SL	Vented	Solid	35.00"	37.13"	20.00"	26.16"	19"	21.25"
	WCF193520SS	Solid							
26U Cabinets	WCF194514PL	Vented	Plexiglas	45.50"	48.13"	14.00"	20.16"	19"	21.25"
	WCF194514PS	Solid							
	WCF194514SL	Vented	Solid	45.50"	48.13"	14.00"	20.16"	19"	21.25"
	WCF194514SS	Solid							
	WCF194520PL	Vented	Plexiglas	45.50"	48.13"	20.00"	26.16"	19"	21.25"
	WCF194520PS	Solid							
	WCF194520SL	Vented	Solid	45.50"	48.13"	20.00"	26.16"	19"	21.25"
	WCF194520SS	Solid							

All frames are available in the standard color offering M – Black, F – Computer Grey, P – Light Grey or E – Royal Blue

Wall Mount Enclosure Options and Accessories

GB190106	Buss bar, copper, Mini-Max, 19" long
WCF01	Mini-Max wall mount enclosure fan filter
WCF110	Fan, exhaust, 110CFM, 115V, 6.77" dia., 1.5" deep
WCRK21M	Wall enclosure universal mounting rail kit (pair), 21.00" VPS, 12U, black
WCRK35M	Wall enclosure universal mounting rail kit (pair), 35.00" VPS, 20U, black
WCRK45M	Wall enclosure universal mounting rail kit (pair), 45.00" VPS, 26U, black

Wall Mount Products

SWING-OUT RACK

Convenient and flexible Swing Out™ Racks come with a variety of standard features, including integrated strain relief and cable management; quick-release hinges that allow the rack to swing open from either the left or right; and exclusive 3" deep rack-style rails tapped 12-24 on the front and rear for 19" EIA rack-mount equipment.

Swing Out racks ship flat, and assemble in less than 20 minutes.

Features

- Available in 3 heights (12U, 20U and 25U), 1 width (20") and 1 depth (18")
- Integrated strain relief and cable management
- Three-step, Installer-Friendly® assembly process takes less than 20 minutes for one individual
- Wide keyhole slots and 16" mounting center enables wall mounting by one individual
- Includes equipment mounting screws and 20 reusable cable management ties
- Conveniently handles heavy loads with ease
- Dual swing options allows the rack to be opened from the left or right utilizing a heavy-duty spring loaded pin hinge system
- Available in black only



Swing-Out Rack

ACCESSORIES



Shelves



Rack-mount power strips



Filler panels



Mounting screws

Swing Out™ Wall Mount Rack

Order code	VPO	Rack Units	Ext. Height	Overall/Usable Depth	Ext. Width	HPO	Color
S02118M	21.00"	12U	23.92"	18.00"	20.75"	19"	Black
S03518M	35.00"	20U	37.92"	18.00"	20.75"	19"	Black
S04318M	43.75"	25U	46.67"	18.00"	20.75"	19"	Black

Wall Mount Products

PATCH PANEL BRACKETS

When minimal space is required, APW's heavy-duty 14-gauge steel Patch Panel Brackets are a great alternative to a full size racks.

Designed for 19" EIA equipment, the brackets' hinged design allows convenient wall mounting of patch panels and small equipment while saving valuable floor space. Select from a variety of sizes to best suit your needs.

Features

- Available in 4 heights (1U, 2U, 3U and 4U) and 4 depths (4", 6", 8" and 12")
- Universal inserts provide the option to use either 10-32 or 12-24 mounting screws
- Available in black only



Patch Panel Brackets

Wall Mount Patch Panel Brackets

Type	Order code	External Height	External/Usable Depth	External Width	HPO	Color
1U Brackets	WPB190106M	1.75"	6.00"	19.00"	19"	Black
2U Brackets	WPB190304M	3.50"	4.00"	19.00"	19"	Black
	WPB190306M	3.50"	6.00"	19.00"	19"	Black
	WPB190308M	3.50"	8.00"	19.00"	19"	Black
	WPB190312M	3.50"	12.00"	19.00"	19"	Black
3U Brackets	WPB190504M	5.25"	4.00"	19.00"	19"	Black
	WPB190506M	5.25"	6.00"	19.00"	19"	Black
	WPB190508M	5.25"	8.00"	19.00"	19"	Black
	WPB190512M	5.25"	12.00"	19.00"	19"	Black
4U Brackets	WPB190704M	7.00"	4.00"	19.00"	19"	Black
	WPB190706M	7.00"	6.00"	19.00"	19"	Black
	WPB190708M	7.00"	8.00"	19.00"	19"	Black
	WPB190712M	7.00"	12.00"	19.00"	19"	Black

Open Frame Architecture – Cable Management Racks


CABLE MANAGEMENT RACKS

APW's most versatile open frame, the Cable Management Racks, combine many attributes of standard open frame racks, vertical raceways, and cable routing panels into the convenience of one single unit.

Designed for 19" EIA rack-mount equipment, Cable Management Racks are extra wide and deep for multi-position cable hangers, providing superior front and rear cable management for any application.

Features

- Offered in 2 Heights (47" and 84"), 1 Depth Base (15") and 1 Width (24" Overall)
- Available in both 10-32 and 12-24 tapped mounting holes
- Heavy-duty steel/aluminum construction and redundant bolting (front and rear as well as top and bottom) ensure rigidity
- Cable management hangers mountable in 45-degree increments
- Cable tie slots on rear and inside of channel offer additional cable management capabilities, as well as cable access ports on front or rear of unit
- An array of accessories to enhance this product
- Available in black only



Cable Management Racks

Cable Management Racks

Type	Order code	VPO	External Height	Rack Units	HPO	External Width	Tapped	Color
Cable Management Racks	CMS1942M	42.00"	47.00"	24U	19"	24.75"	10-32	Black
	CMS1977M	77.00"	84.00"	44U	19"	24.75"	10-32	Black
	CMSNT1977M	77.00"	84.00"	44U	19"	23.75"	12-24	Black
	CMST1942M	42.00"	47.00"	24U	19"	24.75"	12-24	Black
	CMST1977M	77.00"	84.00"	44U	19"	24.75"	12-24	Black

Open Frame Architecture – Modular Networking Frames

MODULAR NETWORKING FRAMES

Modular Networking Frames offer an economical solution to your rack-mount storage needs at a fraction of the cost of a fully enclosed cabinet.

Designed with APW's renowned quality and stability, these racks are ideal for mounting electronic test equipment, patch panels, datacom and telecom equipment, and other cabling and rack-mount peripherals. Plus, an array of options and accessories can be ordered.

Features

- Offered in 5 Heights (47", 66", 75", 84" and 96"), 1 Depth (11") and 2 Widths (19" EIA and 23" TIA rack-mount)
- Available in both 10-32 and 12-24 tapped mounting holes
- Heavy-duty aluminum extruded upright channels, and top angles are packaged in an easy-assembled unit
- Two base styles available; freestanding and bolt down
- UL listed
- Available in Black or Mill finish



Modular Networking Frames

Modular Networking Frames

Type	Order code	Color	VPO	External Height	Rack Units	HPO	External Width
Modular Networking Frames – 10-32 Tapped	MNF1942DM	Black	42.00"	47.25"	24U	19"	20.18"
	MNF1942DU	Mill					
	MNF1961DM	Black	61.25"	66.50"	35U	19"	20.18"
	MNF1961DU	Mill					
	MNF1970DM	Black	70.00"	75.25"	40U	19"	20.18"
	MNF1970DU	Mill					
	MNF1978DM	Black	78.75"	84.00"	45U	19"	20.18"
	MNF1978DU	Mill					
	MNF1989DM	Black	89.25"	95.88"	51U	19"	20.18"
	MNF1989DU	Mill					
	MNF2342DM	Black	42.00"	47.25"	24U	23"	24.18"
	MNF2342DU	Mill					
	MNF2361DM	Black	61.25"	66.50"	35U	23"	24.18"
	MNF2361DU	Mill					
	MNF2370DM	Black	70.00"	75.25"	40U	23"	24.18"
	MNF2370DU	Mill					
	MNF2378DM	Black	78.75"	84.00"	45U	23"	24.18"
	MNF2378DU	Mill					
MNF2389DM	Black	89.25"	95.88"	51U	23"	24.18"	
MNF2389DU	Mill						
Modular Networking Frames – 12-24 Tapped	MNFT1942DM	Black	42.00"	47.25"	24U	19"	20.18"
	MNFT1942DU	Mill					
	MNFT1961DM	Black	61.25"	66.50"	35U	19"	20.18"
	MNFT1961DU	Mill					
	MNFT1970DM	Black	70.00"	75.25"	40U	19"	20.18"
	MNFT1970DU	Mill					
	MNFT1978DM	Black	78.75"	84.00"	45U	19"	20.18"
	MNFT1978DU	Mill					
	MNFT1989DM	Black	89.25"	95.88"	51U	19"	20.18"
	MNFT1989DU	Mill					
	MNFT2342DM	Black	42.00"	47.25"	24U	23"	24.18"
	MNFT2342DU	Mill					
	MNFT2361DM	Black	61.25"	66.50"	35U	23"	24.18"
	MNFT2361DU	Mill					
	MNFT2370DM	Black	70.00"	75.25"	40U	23"	24.18"
	MNFT2370DU	Mill					
	MNFT2378DM	Black	78.75"	84.00"	45U	23"	24.18"
	MNFT2378DU	Mill					
MNFT2389DM	Black	89.25"	95.88"	51U	23"	24.18"	
MNFT2389DU	Mill						

Open Frame Architecture – Modular Networking Frames

Modular Networking Frames – Accessories

Type	Order code	Description
Cable Management Accessories – Horizontal Steel	CMBKIT	Cable management bracket, set of 4, black
	CPR191	Ring cable management panels, 19" Horizontal Panel Opening, 1.75" PS 1U height, ring 1.47" high x 2.5" deep, black
	CPR192	Ring cable management panels, 19" Horizontal Panel Opening, 3.50" PS 2U height, ring 3.22" high x 2.5" deep, black
	CPT191	Reusable cable tie organizer, 19" Horizontal Panel Opening, 1.75" PS, 1U, black
	CPT192	Reusable cable tie organizer, 19" Horizontal Panel Opening, 3.50" PS, 2U, black
	CRO400	Cable management ring, set of 4, 1.5" high x 2.8" wide, base width 2" x 6" deep rod, black
	CRH192	Covered horizontal organizer, 19" HPO, 3.50" PS, 2U, black
	CRH194	Covered horizontal organizer, 19" HPO, 7.00" PS, 4U, black
	HLB19	Steel lacing rod, horizontal, 19" HPO, black
	RCM19	Rear cable support bar kit with reusable cable ties, 19" HPS, 1.75" VPS, 1U, black
Cable Management Accessories – Vertical Aluminum	CRO66106U	One sided vertical cable organizer for Relay Rack, 61.19" high, mill
	CRO67006A	One sided vertical cable organizer for Relay Rack, 69.19" high, black
	CRO67006U	One sided vertical cable organizer for Relay Rack, 69.19" high, mill
	CRO67806A	One sided vertical cable organizer for Relay Rack, 78.69" high, black
	CRO67806U	One sided vertical cable organizer for Relay Rack, 78.69" high, mill
	CRO68906A	One sided vertical cable organizer for Relay Rack, 90.69" high, black
	CRO68906U	One sided vertical cable organizer for Relay Rack, 90.69" high, mill
Cable Management Accessories – Vertical Steel	CRD067806M	Vertical organizer, steel (2 piece), covered, black
	CRV78	Vertical organizer, steel (2 piece), economy version, black


Modular Networking Frame – General Accessories

Order code	Description
MNFA75L	Relay Rack Casters
RIK01	Relay Rack Installation Kit – secures racks to floor
TD23	Stationary Tie Down Bracket Kit – 2 brackets, black

ACCESSORIES



Shelves



Rack-mount power strips



Rack-mount display panel



Open Frame Architecture – Steel Relay Racks

STEEL RELAY RACKS

APW's Steel Relay Rack offering is a perfect complement to APW's Aluminum Modular Networking Relay Racks.

These Steel Relay Racks are offered in several different configurations including Standard and Seismic models. APW offers a complete line of accessories for our Steel Relay Racks.

Features: Unequal Flanged Models

- Offered in 2 Heights (84" and 96"), 1 Depth Base (10") and 2 Widths (19" EIA and 23" TIA rack-mount)
- Available in non-seismic or seismic, open or closed duct
- 12-24 Tapped mounting holes available in both universal and 1" spacing
- Available in Telco Gray or Network Blue

Features: Equal Flanged Models

- Offered in 2 Heights (84" and 96"), 1 Depth Base (15") and 2 Widths (19" EIA and 23" TIA rack-mount)
- 12-24 Tapped mounting holes available in both universal and 1" spacing
- Available in Telco Gray, Network Blue or Black



Steel Relay Rack

Steel Relay Racks

Type	Order code	Mounting Hole Spacing	VPO	External Height	Rack Units	HPO	External Width	Tapped
Steel Relay Racks – Equal Flanged	SRR19841S	1" Spacing	78.75"	84.00"	45U	19"	19.94"	12-24
	SRR1984US	Universal Spacing						
	SRR19961S	1" Spacing	90.75"	96.00"	51U	19"	19.94"	12-24
	SRR1996US	Universal Spacing						
	SRR23841S	1" Spacing	78.75"	84.00"	45U	23"	23.94"	12-24
	SRR2384US	Universal Spacing						
	SRR23961S	1" Spacing	90.75"	96.00"	51U	23"	23.94"	12-24
	SRR2396US	Universal Spacing						
Steel Unequal Flanged Rack – Non-Seismic, Closed Duct	SURC19841S	1" Spacing	78.75"	84.00"	45U	19"	19.94"	12-24
	SURC1984US	Universal Spacing						
	SURC19961S	1" Spacing	90.75"	96.00"	51U	19"	19.94"	12-24
	SURC1996US	Universal Spacing						
	SURC23841S	1" Spacing	78.75"	84.00"	45U	23"	23.94"	12-24
	SURC2384US	Universal Spacing						
	SURC23961S	1" Spacing	90.75"	96.00"	51U	23"	23.94"	12-24
	SURC2396US	Universal Spacing						
Steel Unequal Flanged Rack – Non-Seismic, Open Duct	SURO19841S	1" Spacing	78.75"	84.00"	45U	19"	19.94"	12-24
	SURO1984US	Universal Spacing						
	SURO19961S	1" Spacing	90.75"	96.00"	51U	19"	19.94"	12-24
	SURO1996US	Universal Spacing						
	SURO23841S	1" Spacing	78.75"	84.00"	45U	23"	23.94"	12-24
	SURO2384US	Universal Spacing						
	SURO23961S	1" Spacing	90.75"	96.00"	51U	23"	23.94"	12-24
	SURO2396US	Universal Spacing						
Steel Unequal Flanged Rack – Seismic, Closed Duct	SZURC19841S	1" Spacing	78.75"	84.00"	45U	19"	19.94"	12-24
	SZURC1984US	Universal Spacing						
	SZURC19961S	1" Spacing	90.75"	96.00"	51U	19"	19.94"	12-24
	SZURC1996US	Universal Spacing						
	SZURC23841S	1" Spacing	78.75"	84.00"	45U	23"	23.94"	12-24
	SZURC2384US	Universal Spacing						
	SZURC23961S	1" Spacing	90.75"	96.00"	51U	23"	23.94"	12-24
	SZURC2396US	Universal Spacing						
Steel Unequal Flanged Rack – Seismic, Open Duct	SZURO19841S	1" Spacing	78.75"	84.00"	45U	19"	19.94"	12-24
	SZURO1984US	Universal Spacing						
	SZURO19961S	1" Spacing	90.75"	96.00"	51U	19"	19.94"	12-24
	SZURO1996US	Universal Spacing						
	SZURO23841S	1" Spacing	78.75"	84.00"	45U	23"	23.94"	12-24
	SZURO2384US	Universal Spacing						
	SZURO23961S	1" Spacing	90.75"	96.00"	51U	23"	23.94"	12-24
	SZURO2396US	Universal Spacing						

Open Frame Architecture – Accessories

Accessories


Type	Order code	Description
Relay Rack – Aluminum Accessories	CSAS19SM	19" Rack mountable cantilevered shelf, aluminum, single sided, solid, 50lbs capacity, 3.50" PS, 2U, 14.50" deep, black
	CSAS19SU	19" Rack mountable cantilevered shelf, aluminum, single sided, solid, 50lbs capacity, 3.50" PS, 2U, 14.50" deep, mill
	CSAS19VM	19" Rack mountable cantilevered shelf, aluminum, single sided, vented, 50lbs capacity, 3.50" PS, 2U, 14.50" deep, black
	CSAS19VU	19" Rack mountable cantilevered shelf, aluminum, single sided, vented, 50lbs capacity, 3.50" PS, 2U, 14.50" deep, mill
	CSAS23SM	23" Rack mountable cantilevered shelf, aluminum, single sided, solid, 50lbs capacity, 3.50" PS, 2U, 14.50" deep, black
	CSAS23SU	23" Rack mountable cantilevered shelf, aluminum, single sided, solid, 50lbs capacity, 3.50" PS, 2U, 14.50" deep, mill
	CSAS23VM	23" Rack mountable cantilevered shelf, aluminum, single sided, vented, 50lbs capacity, 3.50" PS, 2U, 14.50" deep, black
	CSAS23VU	23" Rack mountable cantilevered shelf, aluminum, single sided, vented, 50lbs capacity, 3.50" PS, 2U, 14.50" deep, mill
	CWA1919SM	19" Rack mountable center weight shelf, aluminum, solid, 75lbs capacity, 3.50" PS, 2U, 19.00" deep, black
	CWA1919SU	19" Rack mountable center weight shelf, aluminum, solid, 75lbs capacity, 3.50" PS, 2U, 19.00" deep, mill
	CWA1919VM	19" Rack mountable center weight shelf, aluminum, vented, 75lbs capacity, 3.50" PS, 2U, 19.00" deep, black
	CWA1919VU	19" Rack mountable center weight shelf, aluminum, vented, 75lbs capacity, 3.50" PS, 2U, 19.00" deep, mill
	CWA2319SM	23" Rack mountable center weight shelf, aluminum, solid, 75lbs capacity, 3.50" PS, 2U, 19.00" deep, black
	CWA2319SU	23" Rack mountable center weight shelf, aluminum, solid, 75lbs capacity, 3.50" PS, 2U, 19.00" deep, mill
	CWA2319VM	23" Rack mountable center weight shelf, aluminum, vented, 75lbs capacity, 3.50" PS, 2U, 19.00" deep, black
	CWA2319VU	23" Rack mountable center weight shelf, aluminum, vented, 75lbs capacity, 3.50" PS, 2U, 19.00" deep, mill
	MS19KM	19" Rack mountable monitor shelf with 9" keyboard tray, black
	MS19KU	19" Rack mountable monitor shelf with 9" keyboard tray, mill
	MS23KM	23" Rack mountable monitor shelf with 9" keyboard tray, black
MS23KU	23" Rack mountable monitor shelf with 9" keyboard tray, mill	
Relay Rack – Steel Accessories	CPU1910S	19" Rack mountable CPU shelf, solid, 100lbs capacity, 3.50" PS, 2U, 10.50" deep, black
	CPU2310S	23" Rack mountable CPU shelf, solid, 100lbs capacity, 3.50" PS, 2U, 10.50" deep, black
	CS1912S	19" Rack mountable cantilevered shelf, steel, solid, 50lbs capacity, 3.50" PS, 2U, 12.50" deep, black
	CS1912V	19" Rack mountable cantilevered shelf, steel, vented, 50lbs capacity, 3.50" PS, 2U, 12.50" deep, black
	CS1914S	19" Rack mountable cantilevered shelf, steel, solid, 50lbs capacity, 3.50" PS, 2U, 14.50" deep, black
	CS1914V	19" Rack mountable cantilevered shelf, steel, vented, 50lbs capacity, 3.50" PS, 2U, 14.50" deep, black
	CS1919S	19" Rack mountable cantilevered shelf, steel, solid, 50lbs capacity, 3.50" PS, 2U, 19.00" deep, black
	CS1919V	19" Rack mountable cantilevered shelf, steel, vented, 50lbs capacity, 3.50" PS, 2U, 19.00" deep, black
	CS2312S	23" Rack mountable cantilevered shelf, steel, solid, 50lbs capacity, 3.50" PS, 2U, 12.50" deep, black
	CS2312V	23" Rack mountable cantilevered shelf, steel, vented, 50lbs capacity, 3.50" PS, 2U, 12.50" deep, black
	CS2314S	23" Rack mountable cantilevered shelf, steel, solid, 50lbs capacity, 3.50" PS, 2U, 14.50" deep, black
	CS2314V	23" Rack mountable cantilevered shelf, steel, vented, 50lbs capacity, 3.50" PS, 2U, 14.50" deep, black
	CWS1919P	19" Rack mountable cantilevered shelf, steel, vented, 75lbs capacity, 3.50" PS, 2U, 19.00" deep, black
	CWS1919S	19" Rack mountable cantilevered shelf, steel, solid, 75lbs capacity, 3.50" PS, 2U, 19.00" deep, black
	CWS2319P	23" Rack mountable cantilevered shelf, steel, vented, 75lbs capacity, 3.50" PS, 2U, 19.00" deep, black
	CWS2319S	23" Rack mountable cantilevered shelf, steel, solid, 75lbs capacity, 3.50" PS, 2U, 19.00" deep, black
	KBM19	Keyboard shelf, sliding, with mouse pad, 19" HPS
	KMB23	Keyboard shelf, sliding, with mouse pad, 23" HPS
	KBT19	Keyboard shelf, sliding and tilting, no mouse pad, 19" HPS
KBT23	Keyboard shelf, sliding and tilting, no mouse pad, 23" HPS	

Open Frame Architecture – Cabling Ladder Rack

CABLING LADDER RACK

APW's Cabling Ladder Rack system allows easy location and identification of data pathways.

Constructed of heavy-duty 16-gauge steel, Ladder Rack provides convenient cable management directly to your computer room and easily attaches to your enclosure or relay rack. APW's Ladder Rack is category 5 and 6 compliant and meets TIA-569A standards. Ladder Rack has a durable, non-corrosive powder coat finish.



Features

- Available in 2 lengths (6' and 10') and 4 widths (6", 12", 18" and 24") for straight sections
- Multiple radius sections; inside vertical corner radius, outside vertical corner radius and flat corner radius
- Choose from 3 standard colors; black, gray or yellow
- Multiple options are available, including; Wall Support Brackets (3), Ceiling Mount Brackets, J Hooks, Relay Rack Connection plate, Butt-Splices, T-junction kits, Foot Kits as well as many others

Cabling Ladder Rack

Type	Order code	External Width	External Height	External Length	Stringer Steel Tubing	Rail Steel Tubing
Ladder Rack – 6' Straight Sections	LR0606	6.00"	1.50"	71.50"	0.50" x 1.00"	0.375" x 1.50"
	LR0612	12.00"				
	LR0618	18.00"				
	LR0624	24.00"				
Ladder Rack – 10' Straight Sections	LR1006	6.00"	1.50"	119.50"	0.50" x 1.00"	0.375" x 1.50"
	LR1012	12.00"				
	LR1018	18.00"				
	LR1024	24.00"				
Ladder Rack – Flat 90° Radius	FR0690	6.00"	1.50"	-	0.50" x 1.00"	0.375" x 1.50"
	FR1290	12.00"				
	FR1890	18.00"				
	FR2490	24.00"				
Ladder Rack – Inside 90° Radius	RRI06	6.00"	1.50"	-	0.50" x 1.00"	0.375" x 1.50"
	RRI12	12.00"				
	RRI18	18.00"				
	RRI24	24.00"				
Ladder Rack – Outside 90° Radius	RR006	6.00"	1.50"	-	0.50" x 1.00"	0.375" x 1.50"
	RR012	12.00"				
	RR018	18.00"				
	RR024	24.00"				

Open Frame Architecture – Cabling Ladder Rack

Cabling Ladder Rack – Accessories

	Order code	Description
Ladder Rack – Options and Accessories	BS01	Ladder Rack butt splice kit, black
	CK01	Ladder Rack ceiling mounting kit for 3/8" threaded rod, black
	CK02	Ladder Rack ceiling mounting kit for 5/8" threaded rod, black
	CK04	Ladder Rack support bracket kit for 5/8" threaded rod, black
	CRD01	Ladder Rack side mount cable radius drop kit – fits all sizes
	CRD06	Cable radius drop kit for 6" wide ladder rack
	CRD12	Cable radius drop kit for 12" wide ladder rack
	CRD18	Cable radius drop kit for 18" wide ladder rack
	CRP06	Ladder Rack cable retaining post, 6" H – 1 each
	CRP08	Ladder Rack cable retaining post, 8" H – 1 each
	CRP10	Ladder Rack cable retaining post, 10" H – 1 each
	EB01	Earthquake bracket kit, black
	EC01	Ladder Rack protective end cap kit – 2 caps, black rubber
	FK01	Ladder Rack foot kit, black
	JBK01	Ladder Rack J-bolt mounting kit, black
	JS01	Ladder Rack T-junction splice kit, black
	MP0419	Ladder Rack to Relay Rack mounting kit, 19" wide, 5.375" deep
	TR06C	Ladder Rack, 0.625" – 11" UNC-2A threaded rod, 6' long
	TR06E	Ladder Rack, 0.360" – 11" UNC-2A threaded rod, 6' long
	TSB06	Ladder Rack triangular wall support bracket kit, 6" wide
	TSB12	Ladder Rack triangular wall support bracket kit, 12" wide
	TSB18	Ladder Rack triangular wall support bracket kit, 18" wide
	TSB24	Ladder Rack triangular wall support bracket kit, 24" wide
	VALS	Ladder Rack variable angle ladder splice
	VMB01	Ladder Rack vertical wall bracket kit – 2 brackets, black
	WAS0612	Ladder Rack 6"-12" wall rail support kit, black
WAS1518	Ladder Rack 15"-18" wall rail support kit, black	
WAS24	Ladder Rack 24" wall rail support kit, black	
J-Hook	GB02	Cable management J-Hook grider bracket kit – 2 brackets
	JH57	Cable management 7" H with 5" diameter J-Hook kit
	JH912	Cable management 12" H with 9" diameter J-Hook kit
Ladder Rack – Hardware	CHA353	Cable hanger, adhesive back, packet of 10
	CHS1032F	Cup head screws, bright zinc, 10-32UNC. x 0.625" long, packet of 20
	CHS1032FA	Cup head screws, black, 10-32UNC. x 0.625" long, packet of 20
	CHS1224F	Cup head screws, bright zinc, 12-24UNC. x 0.625" long, packet of 20
	CHS1224FA	Cup head screws, black, 12-24UNC. x 0.625" long, packet of 20
	CLP100ZKT	Screw/clip nut kit, 20 each H100Z and CLP1032
	CLP1032	Clip nuts, 10-32
	VCT11PK	11" Velcro cable ties, packet of 50
VCT8PK	8" Velcro cable ties, packet of 50	



Triangle wall support bracket



Wall angle support bracket




Vertical wall bracket




Ceiling mount kits



J-Hooks



Ladder to relay rack mounting kit



Cyberview – Rack Mount Screen Technology

Cyberview – State-of-the-art Rack-Mount Screen Technology

Rapid access to information and optimum space utilization are key requirements in most modern technology environments.

The Cyberview range of rack-mounted LCD monitors provides functionality and style in a compact package. From rack-mounted display panels to combined monitor/keyboard/KVM switch, Cyberview is ideal for the smart management of communications, networking and electronic equipment.

Cyberview offers significant cost and space savings over traditional CRT monitors in a high quality and thoroughly modern design.

Rack-Mount LCD Monitor Drawers

- 1U 15" or 17" TFT LCD screen
- Slide away flip-up monitor
- Allows viewing through closed glass door
- Wide angle viewing as CRT monitor
- Front access lock facility
- Standard D-sub 15-pin VGA input connector
- On-screen display for adjustment of screen
- Adjustable mounting brackets for cabinets up to 40" deep
- Discreet fold away front handle
- High quality enclosure with pre-treated powder coat paint finish

Rack-Mount LCD Monitor and Keyboard Drawers

Same features as LCD monitor drawers, plus:

- 15" TFT LCD screen (1U or 2U) or 17" TFT LCD screen (2U)
- Slide away keyboard combined with flip-up monitor
- 2U version enables functioning of open monitor inside rack
- Front access locking facility on both keyboard and screen
- PS/2 keyboard with integrated 1" trackball
- Large padded wrist-rest

Rack-Mount LCD Monitor, Keyboard and KVM Switch Drawers

Same features as LCD monitor and keyboard drawers, plus:

- Integrated 8 port KVM switch
- Control up to 8 PCs from 1 keyboard, monitor and mouse
- No software needed
- Multi-platform-mix PC, Sun, IBM, HP, Compaq, Dell
- Cascades for use with up to 64 servers
- Hot-pluggable when adding or removing PC
- Built-in microprocessor emulation for each port boots up process
- Facility to name servers (up to 8 characters long)
- Scan mode, Monitors servers at intervals 5 to 99 seconds
- Supplied with 6½' KVM cables as standard

Rack-Mount LCD Display Monitors

- 6U 15" or 8U 17" TFT LCD screen panels
- Styled 0.23" aluminium front panel
- Space efficient, extra rack-mount space at back of panel
- Allows viewing through closed glass door
- Side to side wide-angle viewing as CRT monitor
- Front access power switch & status LED
- Standard D-sub 15-pin VGA input connector
- On-screen display for adjustment of screen
- Low power consumption
- High quality enclosure with pre-treated powder coat paint finish



Cyberview rack-mount LCD display monitor



Rack-mount LCD display monitor and keyboard drawer



Rack-mount LCD display monitor with keyboard and KVM switch drawers



Rack-mount LCD display monitors

Cyberview – Rack Mount Screen Technology

Rack Mount Monitor/Keyboard and Trackball Drawers

Order Code	Description
RMKBMD15	1U 19" Rack mount sliding drawer with keyboard, trackball and 15" LCD monitor
RMKBMD158K	1U 19" Rack mount sliding drawer with keyboard, trackball and 15" LCD monitor, with 8x KVM switch
RMKBMD15S	8U 19" Rack mount 15" LCD monitor with keyboard and trackball and hinge swivel
RMKBMD15V	2U 19" Rack mount sliding drawer with 15" S-Video/SVGA composite, antenna inputs monitor with keyboard and trackball
RMKBMD17	1U 19" Rack mount sliding drawer with keyboard, trackball and 17" LCD monitor
RMKBMD178K	1U 19" Rack mount sliding drawer with keyboard, trackball and 17" LCD monitor, with 8x KVM switch
RMMD13	1U 19" Rack mount 13" LCD monitor drawer
RMMD15	1U 19" Rack mount 15" LCD monitor drawer
RMMD17	1U 19" Rack mount 17" LCD monitor drawer
RMMDS15	2U 19" Rack mount 15" SVGA monitor
RMMDS17	2U 19" Rack mount 17" SVGA monitor
RMMDS17V	2U 19" Rack mount 17" SVGA/S-Video monitor drawer
RMKBMD215	2U 19" Rack mount sliding drawer with keyboard, trackball and 15" LCD monitor
RMKBMD2158K	2U 19" Rack mount sliding drawer with keyboard, trackball and 15" LCD monitor, with 8x KVM switch
RMKBMD21516K	2U 19" Rack mount sliding drawer with keyboard, trackball and 15" LCD monitor, with 16x KVM switch
RMKBMD217	2U 19" Rack mount sliding drawer with keyboard, trackball and 17" LCD monitor
RMKBMD2178K	2U 19" Rack mount sliding drawer with keyboard, trackball and 17" LCD monitor, with 8x KVM switch
RMKBMD21716K	2U 19" Rack mount sliding drawer with keyboard, trackball and 17" LCD monitor, with 16x KVM switch

Keyboard Drawers

Order Code	Description
RMKBTD19	1U 1" Rack mount sliding keyboard shelf with keyboard and trackball
RMKBTD194K	1U 19" Rack mount sliding keyboard shelf with keyboard, trackball and 4 port KVM switch
RMKBTD198K	1U 19" Rack mount sliding keyboard shelf with keyboard, trackball and 8 port KVM switch

Rack Mount Monitors

Order Code	Description
RMM15	6U 19" Rack mount 15" LCD monitor panel, 4" deep
RMM15A	6U 19" Rack mount 15" LCD monitor panel, 4" deep with 15 degree articulation
RMM17	6U 19" Rack mount 17" LCD monitor panel, 4" deep
RMM17A	6U 19" Rack mount 17" LCD monitor panel, 4" deep with 15 degree articulation

Cyberview – KVM Solutions

KVM Switch

The KVM or console switch is an ideal solution to manage multiple servers from one keyboard, monitor and mouse allowing single point multiple server access, and provides a future proof source of expandability.

Utilizing the switch within APW Cabinets removes the need for numerous keyboard, monitor and mouse sets, and this in turn allows valuable rack space to be freed. In addition, power and cooling requirements are reduced, and cost-savings on interface hardware are realized.

Features

- 19" or shelf mounted
- Compact 1U height
- 4, 8 and 16 port models
- Dedicated ZIP/SCSI cables link each server to console switch
- Control up to 256 servers from one console
- Patented OSCAR™ (On-Screen Configuration and Activity Reporting) user interface allows for very easy access and control
- Programmable scanning, naming, security and broadcast functions

KVM Switches

Order Code	Description
RMKVM4	1U Rack mount 4 port KVM switch without cables
RMKVM8	1U Rack mount 8 port KVM switch without cables
RMKVM16	1U Rack mount 16 port KVM switch without cables
RMKVM2D	Desk top 2 port KVM switch without cables

KVM Accessories


Order Code	Description
RMKVMC10A	10' Slave KVM adapter cord Sun/iMac USB to PS/2
RMKVMC10S	10' Slave KVM adapter cord
RMKVMC15S	15' Slave KVM adapter cord
RMKVMC6S	6' Slave KVM adapter cord



4, 8 and 16 port KVM console switch, front



8 Port KVM console switch, rear view



KVM Adapter cord

APW – Accessories

APW PRODUCT ACCESSORIES

APW features a wide array of optional accessories for complete customization of your APW products.

For further information on APW options and accessories please consult your APW Sales Representative or our Customer Care Team.

Shelving options: Fixed, Sliding, Half-Depth, Full-Depth, Center Weight, Light/Medium/Heavy-Duty

Power options: Rack-mount power strips, vertical

plugmolds, PDU (power distribution units), 15/20/30 Amp, 120/220 Volt, Standard Plugs, Twist Locks

Cable management: Vertical and Horizontal Cable Management Bars, Horizontal Cable Management Panels, Cable Management Rings, Cable Management Top and Bottom Panels


Cooling options: Top Fan Panels, Flat Fan Panels, Fan Trays, Optional Accessory Fans

Grounding options: Vertical Copper Grounding Bars and Ground Wire Kits (not available on all products)

Ordering information – descriptions and order codes – for the most popular accessories for our cabinet range is detailed over the next five pages.

Cantilevered Shelves – Front Mount Only

Order code	Description
CS1912S	19" Rack mountable cantilevered shelf, solid, 50lbs. capacity, 3.50" PS 2U, 12.50" deep
CS1912V	19" Rack mountable cantilevered shelf, vented 50lbs. capacity, 3.50" PS 2U, 12.50" deep
CS1914S	19" Rack mountable cantilevered shelf, solid, 50lbs. capacity, 3.50" PS 2U, 14.50" deep
CS1914V	19" Rack mountable cantilevered shelf, vented 50lbs. capacity, 3.50" PS 2U, 14.50" deep
CS1919S	19" Rack mountable cantilevered shelf, solid, 50lbs. capacity, 3.50" PS 2U, 19.00" deep
CS1919V	19" Rack mountable cantilevered shelf, vented 50lbs. capacity, 3.50" PS 2U, 19.00" deep
CS2312S	23" Rack mountable cantilevered shelf, solid, 50lbs. capacity, 3.50" PS 2U, 12.50" deep
CS2312V	23" Rack mountable cantilevered shelf, vented, 50lbs. capacity, 3.50" PS 2U, 12.50" deep
CS2314S	23" Rack mountable cantilevered shelf, solid 50lbs. capacity, 3.50" PS 2U, 14.50" deep
CS2314V	23" Rack mountable cantilevered shelf, vented 50lbs. capacity, 3.50" PS 2U, 14.50" deep
CS2412S	24" Rack mountable cantilevered shelf, solid, 50lbs. capacity, 3.50" PS 2U, 12.50" deep
CS2412V	24" Rack mountable cantilevered shelf, vented 50lbs. capacity, 3.50" PS 2U, 12.50" deep
CS2414S	24" Rack mountable cantilevered shelf, solid, 50lbs. capacity, 3.50" PS 2U, 14.50" deep
CS2414V	24" Rack mountable cantilevered shelf, vented 50lbs. capacity, 3.50" PS 2U, 14.50" deep



Cantilevered shelf

Full Depth Sliding and Fixed Shelves – 4 Point Mounting

	Order code	Description
Full Depth Sliding Shelves	HDSS1919	19" Rack mountable heavy duty roll-out shelf, vented, 150lbs. capacity, 19.25" deep, black
	HDSS1924	19" Rack mountable heavy duty roll-out shelf, vented, 150lbs. capacity, 24.00" deep, black
	HDSS1928	19" Rack mountable heavy duty roll-out shelf, vented, 150lbs. capacity, 28.00" deep, black
	HDSS2419	24" Rack mountable heavy duty roll-out shelf, vented, 150lbs. capacity, 19.25" deep, black
	HDSS2424	24" Rack mountable heavy duty roll-out shelf, vented, 150lbs. capacity, 24.00" deep, black
	HDSS2428	24" Rack mountable heavy duty roll-out shelf, vented, 150lbs. capacity, 28.00" deep, black
	SS1919	19" Rack mountable medium duty roll-out shelf, vented, 75lbs. capacity, 19.25" deep, black
	SS1924	19" Rack mountable medium duty roll-out shelf, vented, 75lbs. capacity, 24.00" deep, black
	SS1928	19" Rack mountable medium duty roll-out shelf, vented, 75lbs. capacity, 28.00" deep, black
	SS2419	24" Rack mountable medium duty roll-out shelf, vented, 75lbs. capacity, 19.25" deep, black
	SS2424	24" Rack mountable medium duty roll-out shelf, vented, 75lbs. capacity, 24.00" deep, black
	SS2428	24" Rack mountable medium duty roll-out shelf, vented, 75lbs. capacity, 28.00" deep, black
Full Depth Fixed Shelves	ES1919	19" Rack mountable medium duty fixed shelf, vented, 100lbs. capacity, 19.25" deep, black
	ES1924	19" Rack mountable medium duty fixed shelf, vented, 100lbs. capacity, 24.00" deep, black
	ES1928	19" Rack mountable medium duty fixed shelf, vented, 100lbs. capacity, 28.00" deep, black
	ES2419	24" Rack mountable medium duty fixed shelf, vented, 100lbs. capacity, 19.25" deep, black
	ES2424	24" Rack mountable medium duty fixed shelf, vented, 100lbs. capacity, 24.00" deep, black
	ES2428	24" Rack mountable medium duty fixed shelf, vented, 100lbs. capacity, 28.00" deep, black
	HDES1919	19" Rack mountable heavy duty fixed shelf, vented, 400lbs. capacity, 19.25" deep, black
	HDES1924	19" Rack mountable heavy duty fixed shelf, vented, 400lbs. capacity, 24.00" deep, black
	HDES1928	19" Rack mountable heavy duty fixed shelf, vented, 400lbs. capacity, 28.00" deep, black
	HDES2419	24" Rack mountable heavy duty fixed shelf, vented, 400lbs. capacity, 19.25" deep, black
	HDES2424	24" Rack mountable heavy duty fixed shelf, vented, 400lbs. capacity, 24.00" deep, black
	HDES2428	24" Rack mountable heavy duty fixed shelf, vented, 400lbs. capacity, 28.00" deep, black



Sliding shelf

APW – Accessories

Vertical/Horizontal Lacing Bars and Cable Management

Order code	Description
ALB44	Aluminum lacing bar, vertical, 1.00" wide x 0.12" thick, EIA spaced 10-32 tapped holes, 44.00" VPO, 25U
ALB61	Aluminum lacing bar, vertical, 1.00" wide x 0.12" thick, EIA spaced 10-32 tapped holes, 61.25" VPO, 35U
ALB70	Aluminum lacing bar, vertical, 1.00" wide x 0.12" thick, EIA spaced 10-32 tapped holes, 70.00" VPO, 40U
ALB78	Aluminum lacing bar, vertical, 1.00" wide x 0.12" thick, EIA spaced 10-32 tapped holes, 78.75" VPO, 45U
ALB88	Aluminum lacing bar, vertical, 1.00" wide x 0.12" thick, EIA spaced 10-32 tapped holes, 87.50" VPO, 50U
CMBKIT	Cable management ring, 1.0" high x 3.0" wide x 3.0" deep – set of 4, black
CPR191	Ring cable management panels, 19" HPO, 1.75" PS, 1U, ring 1.47" high x 2.5" deep, black
CPR192	Ring cable management panels, 19" HPO, 3.50" PS, 2U, ring 3.22" high x 2.5" deep, black
CPT191	Reusable cable tie organizer, 19" HPO, 1.75" PS, 1U, black
CPT191	Reusable cable tie organizer, 19" HPO, 3.50" PS, 2U, black
CRO400	Cable management ring, 1.5" high x 2.8" wide base with 2.0" x 6.0" D rod – set of 4, black
HLB19	Steel lacing rod, horizontal, 19" HPO, black
SLB244	Steel lacing bar, vertical, 2" wide, 44.00" VPO, 25U
SLB261	Steel lacing bar, vertical, 2" wide, 61.25" VPO, 35U
SLB270	Steel lacing bar, vertical, 2" wide, 70.00" VPO, 40U
SLB278	Steel lacing bar, vertical, 2" wide, 78.75" VPO, 45U
SLB288	Steel lacing bar, vertical, 2" wide, 87.50" VPO, 50U
SLB344	Steel lacing bar, vertical, 3.50" wide, 44.00" VPO, 25U
SLB361	Steel lacing bar, vertical, 3.50" wide, 61.25" VPO, 35U
SLB370	Steel lacing bar, vertical, 3.50" wide, 70.00" VPO, 40U
SLB378	Steel lacing bar, vertical, 3.50" wide, 78.75" VPO, 45U
SLB388	Steel lacing bar, vertical, 3.50" wide, 87.50" VPO, 50U




Cable management rings



Vertical lacing bars

Grounding Bars

Order code	Description
GB19	Rack mounted copper ground bar, 0.25" x 1.00" 19" HPO
ICBB44	Buss bar, isolated, copper 1.00" wide x 0.12" thick, EIA spaced 10-32 tapped holes, 44.00" VPO, 25U
ICBB61	Buss bar, isolated, copper 1.00" wide x 0.12" thick, EIA spaced 10-32 tapped holes, 61.25" VPO, 35U
ICBB70	Buss bar, isolated, copper 1.00" wide x 0.12" thick, EIA spaced 10-32 tapped holes, 70.00" VPO, 40U
ICBB78	Buss bar, isolated, copper 1.00" wide x 0.12" thick, EIA spaced 10-32 tapped holes, 78.75" VPO, 45U
ICBB88	Buss bar, isolated, copper 1.00" wide x 0.12" thick, EIA spaced 10-32 tapped holes, 87.50" VPO, 50U



Copper buss bar



Grounding bar

Floor Mounting Kits for Frames

Order code	Description
ANCHORKT	Vertical enclosure floor anchoring kit – set of 4 brackets, black
ANTIPKT	Vertical enclosure, anti-tip plate
CST1KT	Caster kit – 4 casters, T3CST1 swivel casters with brackets, supports 1080lbs., black

APW – Accessories

Cooling and Fan Trays

Order code	Description
PB300A	Blower, packaged, 275cfm, 115V, 19" HPO, 5.25" VPO, 3U
PCP1905	Panel, flat steel with exhaust fans, 220cfm, 2 x FAN110 fans, 115V, 19" HPO, 5.25" PS, 3U
PCP2405	Panel, flat steel with exhaust fans, 220cfm, 2 x FAN110 fans, 115V, 24" HPO, 5.25" PS, 3U
STA683	Fan tray, 3 fan, 180cfm, 115V, 19" HPO, 1.75" VPO, 1U, light gray
STA686	Fan tray, 6 fan, 360cfm, 115V, 19" HPO, 1.75" VPO, 1U, light gray
STA689	Fan tray, 9 fan, 540cfm, 115V, 19" HPO, 1.75" VPO, 1U, light gray

Filler panels

Order code	Description
DFC1908	Panel, steel, double flanged, cable management, 19" HPO, 8.75" PS, 5U
DFC2408	Panel, steel, double flanged, cable management, 24" HPO, 8.75" PS, 5U
DFS1901	Panel, steel double flanged, solid, 19" HPO, 1.75" PS, 1U
DFS1903	Panel, steel double flanged, solid, 19" HPO, 3.50" PS, 2U
DFS1905	Panel, steel double flanged, solid, 19" HPO, 5.25" PS, 3U
DFS1907	Panel, steel double flanged, solid, 19" HPO, 7.00" PS, 4U
DFS1908	Panel, steel double flanged, solid, 19" HPO, 8.75" PS, 5U
DFS1910	Panel, steel double flanged, solid, 19" HPO, 10.50" PS, 6U
DFS19KT	Panel, kit, steel double flanged, solid, 19" HPO, 26.75" PS, 1 each @ 1U, 2U, 4U and 8U
FDS2401	Panel, steel double flanged, solid, 24" HPO, 1.75" PS, 1U
DFS2403	Panel, steel double flanged, solid, 24" HPO, 3.50" PS, 2U
DFS2405	Panel, steel double flanged, solid, 24" HPO, 5.25" PS, 3U
DFS2407	Panel, steel double flanged, solid, 24" HPO, 7.00" PS, 4U
DFS2408	Panel, steel double flanged, solid, 24" HPO, 8.75" PS, 5U
DFS2410	Panel, steel double flanged, solid, 24" HPO, 10.50" PS, 6U
DFS24KT	Panel, kit, steel double flanged, solid, 24" HPO, 26.75" PS, 1 each @ 1U, 2U, 4U and 8U
PA1901	Panel, aluminum, flat, 19" HPO, 1.75" PS, 1U
PA1903	Panel, aluminum, flat, 19" HPO, 3.50" PS, 2U
PA1905	Panel, aluminum, flat, 19" HPO, 5.25" PS, 3U
PA1907	Panel, aluminum, flat, 19" HPO, 7.00" PS, 4U
PA1908	Panel, aluminum, flat, 19" HPO, 8.75" PS, 5U
PA1910	Panel, aluminum, flat, 19" HPO, 10.50" PS, 6U
PA2401	Panel, aluminum, flat, 24" HPO, 1.75" PS, 1U
PA2403	Panel, aluminum, flat, 24" HPO, 3.50" PS, 2U
PA2405	Panel, aluminum, flat, 24" HPO, 5.25" PS, 3U
PA2407	Panel, aluminum, flat, 24" HPO, 7.00" PS, 4U
PA2408	Panel, aluminum, flat, 24" HPO, 8.75" PS, 5U
PA2410	Panel, aluminum, flat, 24" HPO, 10.50" PS, 6U

Equipment Support Angles

Order code	Description
CHAS25	Chassis support angle, 2" x 3", 12 gauge, 25" deep frame, black
CHAS30	Chassis support angle, 2" x 3", 12 gauge, 30" deep frame, black
CHAS36	Chassis support angle, 2" x 3", 12 gauge, 36" deep frame, black



Rack-mount fan tray



Rack-mount exhaust fan

APW Cabinets – Accessories

RACK MOUNTS

Easily and neatly store your monitors or VCR/DVD equipment in APW's comprehensive line of rack mounts.


Available in a variety of styles that complement APW's cabinet, rack and console offering allowing you to complete your installation. Choose from 19" EIA rack-mount monitor mounts that store from 9" to 19" monitors or a variety of VCR recorders, or DVD rack-mounts.

Rack Mounts for Monitors and Time Lapse Recorders

Order code	Description
PD9RM-K	9" Dual monitor rack mount for monitors, black
SVCR-90-K	Rack mount for Sanyo 500 and 900 series recorders, black
SVCRM-20-K	Rack mount for Sanyo TLS-2000 and Sony 5000 recorders, black
SVCRM-70-K	Rack mount for Sanyo SRT-6000, 7072 and 7168 recorders, black
VCM-7509RM-K	Dual rack mount for Sanyo VMC-7509 9" color monitors, black



Dual 9" monitor mount



Large monitor mount



VCR/DVD rack-mounts

Keyboard Shelves/Equipment Drawers

Order code	Description
KS19	19" HPO Drawer face, locking, retractable non-swivel shelf for compact size keyboard, black
KS19S	19" HPO Retractable swivel shelf for standard size keyboard with mousing surface, black
KS24	24" HPO Drawer face, locking, retractable non-swivel shelf for compact size keyboard, black

Drawers

Order code	Description
ED190325	Drawer, 19" HPS, 3.50"VPS, 2U, 25" deep
ED190525	Drawer, 19" HPS, 5.25"VPS, 3U, 25" deep
ED191025	Drawer, 19" HPS, 10.50"VPS, 6U, 25" deep
ED240325	Drawer, 24" HPS, 3.50"VPS, 2U, 25" deep
ED240525	Drawer, 24" HPS, 5.25"VPS, 3U, 25" deep
ED241025	Drawer, 24" HPS, 10.50"VPS, 6U, 25" deep
LTD190325	Drawer, lift-top, black laminate, 19" HPS, 3.50" VPS, 2U, 25" deep frame
LTD240325	Drawer, lift-top, black laminate, 24" HPS, 3.50" VPS, 2U, 25" deep frame

APW – Accessories

Rack Mount Reducer Brackets

Order code	Description
AB01	Reducer bracket, 24" HPO to 19" HPO, tapped 10-32 holes, 1.75", 1U, – set of 2, black
AB02	Reducer bracket, 24" HPO to 19" HPO, tapped 10-32 holes, 3.50", 2U, – set of 2, black
AB03	Reducer bracket, 24" HPO to 19" HPO, tapped 10-32 holes, 5.25", 3U, – set of 2, black
AB04	Reducer bracket, 24" HPO to 19" HPO, tapped 10-32 holes, 7.00", 4U, – set of 2, black
AB05	Reducer bracket, 24" HPO to 19" HPO, tapped 10-32 holes, 8.75", 5U, – set of 2, black
AB2301	Reducer bracket, 23" HPO to 19" HPO, tapped 10-32 holes, 1.75", 1U, – set of 2, black
AB2302	Reducer bracket, 23" HPO to 19" HPO, tapped 10-32 holes, 3.50", 2U, – set of 2, black
AB2303	Reducer bracket, 23" HPO to 19" HPO, tapped 10-32 holes, 5.25", 3U, – set of 2, black
AB2304	Reducer bracket, 23" HPO to 19" HPO, tapped 10-32 holes, 7.00", 4U, – set of 2, black
AB2305	Reducer bracket, 23" HPO to 19" HPO, tapped 10-32 holes, 8.75", 5U, – set of 2, black

Cabinet Accessories

Order code	Description
1032KT	#10-32 Screw kit, include 20 x H100Z Screws
CAGEMKT	M6 Cage nut hardware kit, includes 20 each SCR103 M6 screws and C7988-M62-3F cage nuts and 1 x 600004 insertion tool
CAGEKT	#10-32 Cage nut hardware kit, includes 20 each H100Z screws and C7941-1032-3B cage nuts and 1 x 600004 insertion tool
CAGEMEGA	#10-32 Cage nut hardware kit, includes 100 each H100Z screws and C7941-1032-3B cage nuts and 1 x 600004 insertion tool
CLIPTKT	#10-32 Clip nut hardware kit, includes 20 each H110Z screws and C31758-1032-3B clip nuts
GANGKT	Joining kit for multibay enclosure configurations, includes 6 each H72 ¼" hex head bolts, T3SQUARE square nuts and 3' H121 foam tape
H100KT	#10-32 x 0.625" screw kit, bright zinc – pack of 100
H100MEGA	#10-32 x 0.625" screw kit, bright zinc – pack of 500
H100ZKT	#10-32 x 0.625" screw kit, black – pack of 100
H100ZMEGA	#10-32 x 0.625" screw kit, black – pack of 500
H290	Document holder
H99KT	#10-32 x 1.20" screw kit, bright zinc – pack of 100
H99ZKT	#10-32 x 1.20" screw kit, black – pack of 100
LIGHT	Interior light, white, 15 Watts, 20.0" long x 1.50" high x 2.25" deep, 6' power cord with NEMA 5-15P plug, on/off switch, 120V/15A
VCT11PK	11" Velcro cable ties – pack of 50
VCT8PK	8" Velcro cable ties – pack of 50

APW – Accessories

Power Offering

	Order code	Amps	Volts	No. of Receptacles	Cord Length	Plug Type	Dimensions Length x Depth x Width	Breaker Yes or No
Standard Vertical Mount Power Strip	EPS4015	15	125	6	15'	5-15P Standard	40" x 0.80" x 1.30"	No
	EPS6015	15	125	10		5-15P Standard	60" x 0.80" x 1.30"	No
	EPS6105T	15	125	10		L5-15P Twistlock	60" x 1.20" x 2.00"	No
	EPS6020	20	125	12		5-20P Standard	60" x 1.20" x 2.00"	No
	EPS6020T	20	125	12		L5-20P Twistlock	60" x 1.20" x 2.00"	No
	EPS4015I	15	125	6		5-15P Standard	40" x 0.80" x 1.30"	No
	EPS6015I	15	125	10		5-15P Standard	60" x 0.80" x 1.30"	No
	EPS6615	15	125	20		5-15P Standard	66" x 1.25" x 1.75"	Yes
	EPS6615T	15	125	20		L5-15P Twistlock	66" x 1.25" x 1.75"	Yes
	EPS6620	20	125	20		5-20P Standard	66" x 1.25" x 1.75"	Yes
	EPS6620T	20	125	20		L5-20P Twistlock	66" x 1.25" x 1.75"	Yes
Standard 19" Rack Mount Power Strip	EPS1620	20	125	6	15'	5-20P Standard	1.75" x 5" x 19"	No
	EPS1620T	20	125	6		L5-20P Twistlock	1.75" x 5" x 19"	No
	EPS20RM	20	125	6		5-20P Standard	1.75" x 5" x 19"	Yes
	EPS20RMS	20	125	6		5-20P Standard	1.75" x 5" x 19"	Yes
	EPS20RMT	20	125	6		L5-20P Twistlock	1.75" x 5" x 19"	Yes
	EPS15RXS	15	125	10		5-20P Standard	1.75" x 5" x 19"	Yes
	EPS15RMS	15	125	6		5-20P Standard	1.75" x 5" x 19"	Yes
	EPS15RDS	15	125	8		5-20P Standard	1.75" x 5" x 19"	Yes
PDU (Power Distribution Unit) - 19" Rack Mount	ED12020	20	120	9	15'	L5-20P Twistlock	1.75" x 3.50" x 19"	Yes
	ED12030	30	120	9		L5-30P Twistlock	1.75" x 3.50" x 19"	Yes
	ED22020	20	240	9		L6-20P Twistlock	1.75" x 3.50" x 19"	Yes
	ED22030	30	240	9		L6-30P Twistlock	1.75" x 3.50" x 19"	Yes
	ED122030	30	240	7		L6-30P Twistlock	1.75" x 3.50" x 19"	Yes
	ED12030M	30	120	14		L5-30P Twistlock	1.75" x 7.00" x 19"	Yes
	ED22030M	30	240	14		L6-30P Twistlock	1.75" x 7.00" x 19"	Yes
	EI22030M	30	240	20		L6-30P Twistlock	1.75" x 7.00" x 19"	Yes



Rack-mount power strips



Vertical plugmolds

APW Enclosure Products: products for today's converging markets



APW serves a wide and diverse market with its range of cabinets, wall-mounted racks, consoles and open-frame architecture products. These products – and the accessories that complement them – provide a versatile packaging platform which can be employed in multiple applications, and in environments where aesthetics are equally as important as versatility and ease of operation.

Some of the typical market sectors and applications served by our cabinet ranges are detailed on this page.

AUDIOVISUAL AND BROADCAST

- Data acquisition systems
- Video system control
- Multimedia systems (mobile display/live video)
- Digital cable television

DATA COMMUNICATIONS

- Internet service providers
- Corporate IT environments
- Signal conditioning systems
- Digital Satellite and Terrestrial Video Broadcast (video compression transmission and reception)

INDUSTRIAL AND GENERAL PURPOSE

- Industrial process controllers (high performance PLC)
- Robot control systems
- Medical applications
- Retail data management

SECURITY

- Measurement systems
- Mobile telecommunications test
- Visual inspection/test systems
- Communications test equipment
- Seismic analysis

TELECOMMUNICATIONS

- Telecommunications Management Networks (TMNs)
- Voice recording systems
- Intelligent Peripherals/Service Nodes (IP/SNs)



CATV Control Centers



High-volume Manufacturing Control Centers

Enclosure Products Sales Offices



APW

403 Degner Avenue
Mayville, WI 53050-0028
United States of America
800.558.7297 toll free
219.253.6666 telephone
219.253.6570 fax
email: apwsales-us@apw.com

APW

Ashley Road, Uxbridge
Middlesex, UB8 2SQ England
44.1895.237123 telephone
44.1895.232164 fax
email: apwsales-uk@apw.com

APW

Carsten-Dressler Str. 10
28279 Bremen, Germany
49.421.8490.300 telephone
49.421.8490.222 fax
email: netzwerk@apw.com

APW

B.P. 60687, Rue de l'Industrie
60006 Beauvais Cedex, France
33.3.4402.8181 telephone
33.3.4402.5724 fax
email: ventes@apw.com

APW

Corso Lombardia
52 Regione Pescara
10099 S. Mauro Torinese, Italy
39.011.273.4352 telephone
39.011.273.5801 fax
email: vendite@apw.com

APW

Postbus 160, 2210 AD Noordwijkerhout
Netherlands
31.252.343150 telephone
31.252.340844 fax
email: apwproducts.euro.info@apw.com

APW

Antonsgasse 12 Top 20 im Hofe
Links A-2500 Baden, Austria
43.2252.87590 telephone
43.2252.88503 fax

APW

No.399, Lane 822, Zhen Nan Road,
Shanghai 200331,
People's Republic of China
86.2161.500099 telephone
86.2163.637364 fax
email: shanghai.sales@apw.com

APW

17 Neythai Road 628582 Singapore
65.6268.2111 telephone
65.6265.0137 fax
email: sales@apw-enclosures.com.sg

APW

2304 &2309, Wharf Cable Tower
9 Hoi Shing Road, Tsuen Wan, Hong
Kong
852.2415.2121 telephone
852.2415.9950 fax
email: netzwerk@apw.com

APW

Win Nishi-Waseda Building, JF2-20-9
Nishi-Waseda, Shinjuku-Ku,
Tokyo 169-0051 Japan
813.5273.6100 telephone
813.5273.6055 fax

APW

303 New India Industrial Estate
off Mahakali Caves Road, Andheri
Mumbai 400 093, India
91.22.693.8080 telephone
91.22.693.8181 fax
email: vero.mum@mcdnet.ems.vsnl.net.in

APW – Corporate Office

N22 W23685 Ridgeview Parkway West
Waukesha, WI 53188-1013
262.523.7600 telephone
262.523.7588 fax

APW 937/02 ©APW Ltd. 2002
Printed in the United States of America



Distributed by: