

MultiView MultiHost Setup

Document ID: C02B1208

Objectives:

Procedure to set up MultiHost for users to connect to multiple DVRs at once through MultiView

Applicable MultiView version: v8.0 and above

1. In GeoVision MultiView software, click on Edit Host button





2. In Edit Host screen, click on New button on the under Host List then create a new group. Then click on New again to create a new host

Host List	Host Informations Host Protection	Host Auto Search 192.188.0.51 Authenication Host New Group
	Host Name New Host	
	IP Address 68.158.236.250 User Name 1 Password * Command Port 4550	
	Audio Port 8550 HITTP Port 81	
New Delete	Change Password Save	
Export Import	₩, N/A ■ N/A ■ N/A	
		III N/A III N/A

- 3. Under Host information, type in the Host Name of the DVR, then input the IP address, User Name, and Password associated with this DVR
 - ✓ Name a "Group" will allow you to identify DVR groups
 - Name a "Host" will allow you to identify individual DVR
 - Confirm Command, Data, Audio, and HTTP ports are correct and the same as the ports used on the DVR
- 4. Click Save to save the host settings



5. Back in the MultiView window, click on the new host that was created then drag any camera from the list to any available channel on the left for live viewing



6. Alternatively, Multiple Host can be created to assign each channel to connect to a specific channel from any DVR by default. After creating a new host as shown in Step 2, select Multiple Host option on top. Then, for each of the camera channel listed below, click on Edit to enter each channel information

	G	eoUision:
Host List New Group New Host New Host	Host Informations Host Protection Single Host Host Name New Host1 Password 1. Edit 9. Edit 2. Edit 10. Edit 3. Edit 11. Edit 4. Edit 12. Edit 5. Edit 13. Edit 6. Edit 14. Edit 7. Edit 15. Edit 15. Edit	Host Auto Search
New Delete		

7. In the Camera Setting window, input the Device type, IP address, User Name, Password, and Camera No. to be assigned to this channel, then select OK

Device	GV-DVR System
User Name	
Password	
Camera No.	1
Command Port	4550
Data Port	5550
Audio Port	6550



- 8. Click on Save then OK to save and exit the Host List window
- After the Multiple Host is created, double click on the host created on the right to bring up each channel as defined in the steps above

Cameral 2000020/12 10 38:33	VIDEO LOST	Host Auto Search 127.0.1 Authenication Host New Group C New Host New Host
No Privilege		E New Host
	Camera 1 127.0.0.1 15.2 kbps 15.2 kbps 1	