

GeoVision Vandal Dome V3

FULL LINE IN STOCK

FREE 32CH VMS SOFTWARE WITH EVERY GV IP CAM

High Power IR for Enhanced Night Vision

CLICK TO PLAY



Please contact your GeoVision sales rep for ordering information

Quick Facts



- ◆ Vandal Resistance (IK10+)
- ◆ Ingress protection (IP67)
- ◆ Varifocal megapixel lens
- ◆ High power IR LEDs
- ◆ 2-way audio with external microphone
- ◆ Removable IR-cut filter for Day/Night function
- ◆ Dual streams from H.264 to MJPEG
- ◆ Up to 30 fps
- ◆ Easy installation

The newest GeoVision Vandal Dome V3 is an updated line of outdoor vandal dome cameras with enhanced night vision as enabled by the high power LEDs with up to 30m (98.4ft) effective distance. This advanced line of IP cameras are designed with IK10+ vandal resistance and IP67 ingress protection for suitability with outdoor applications. The VD V3 cameras have a 3-axis mechanism (pan/tilt/roll) with removable IR-cut filter for Day/Night function. As with all GV-IP cameras, these models

come with free 32ch VMS software with embedded video analytics including video defog, motion detection, tampering alarm, and privacy mask. The cameras also support IP address filtering and are compatible with iPhone, iPad, Android, and 3GPP.

The Vandal Dome V3 offers a wide range of models, including super low lux, 1.3—5MP, motorized varifocal lens for remote focus/zoom adjustment, and Wide Dynamic Range Pro.

Feature Highlights:

High Power IR LEDs



The use of external IR LED underneath special IR plastic reduces IR reflection and improves IR light transparency.

Features for easy Installation



Comes with easy to install features that also shorten installation time. Camera lowers down for easy access and allows cabling without complete removal of cover.

In stock models:

Model No.	Ordering Part No.	Description	SKU #
Vandal Proof Dome V3 with high power IR LED			
GV-VD1530	120-VD1530-A00	GV-VD1530 1.3MP 3~9 mm Super Low Lux IR Vandal Proof Dome, High power IR LEDs, IR Distance up to 30m (98.4ft), D/N, IP67, IK10+, No cable, DC12V/AC24V/PoE	84-VD15300-001U
GV-VD2430	120-VD2430-W00	GV-VD2430 2MP 3~9 mm IR Vandal Proof Dome, WDR Pro , High power IR LEDs, IR Distance up to 20m (65.6ft), D/N, IP67, IK10+, No cable, DC12V/AC24V/PoE	84-VD24300-001U
GV-VD2530	120-VD2530-A00	GV-VD2530 2MP 3~9 mm Super Low Lux IR Vandal Proof Dome, High power IR LEDs, IR Distance up to 25m (82ft), D/N, IP67, IK10+, No cable, DC12V/AC24V/PoE	84-VD25300-001U
GV-VD3430	120-VD3430-W00	GV-VD3430 3MP 3~9 mm IR Vandal Proof Dome, WDR Pro , High power IR LEDs, IR Distance up to 20m (65.6ft), D/N, IP67, IK10+, No cable, DC12V/AC24V/PoE	84-VD34300-001U
Motorized Vandal Proof Dome V3 +with high power IR LED			
GV-VD1540	120-VD1540-AM0	GV-VD1540 1.3MP 3~9 mm Super Low Lux IR Vandal Proof Dome, 3x zoom , High power IR LEDs, IR Distance up to 30m (98.4ft), D/N, IP67, IK10+, No cable, DC12V/AC24V/PoE	84-VD15400-001U
GV-VD2440	120-VD2440-MW0	GV-VD2440 2MP 3~9 mm IR Vandal Proof Dome, 3x zoom, WDR Pro , High power IR LEDs, IR Distance up to 20m (65.6ft), D/N, IP67, IK10+, No cable, DC12V/AC24V/PoE	84-VD24400-001U
GV-VD2540	120-VD2540-AM0	GV-VD2540 2MP 3~9 mm Super Low Lux IR Vandal Proof Dome, 3x zoom , High power IR LEDs, IR Distance up to 25m (82ft), D/N, IP67, IK10+, No cable, DC12V/AC24V/PoE	84-VD25400-001U
GV-VD3440	120-VD3440-MW0	GV-VD3440 3MP 3~9 mm IR Vandal Proof Dome, 3x zoom, WDR Pro , High power IR LEDs, IR Distance up to 20m (65.6ft), D/N, IP67, IK10+, No cable, DC12V/AC24V/PoE	84-VD34400-001U
GV-VD5340	120-VD5340-M00	GV-VD5340 5MP 3.3~9 mm IR Vandal Proof Dome, 3x zoom , High power IR LEDs, IR Distance up to 20m (65.6ft), D/N, IP67, IK10+, No cable, DC12V/AC24V/PoE	84-VD53400-001U

*All GeoVision IP cameras come with software Wide Dynamic Range; WDR Pro refers to hardware WDR