

**SMART SERIES SBC/KIT SYSTEM HANDS-FREE COLOUR MONITOR**

Flush-mounted (on box Art. 6117) or Surface Mounted (with bracket Art. 6320) colour monitor with 3.5" screen and Full-Duplex hands-free audio. Allows audio volume adjustment, ringtone volume adjustment with privacy activation indicator light and brightness control. Fitted as standard with key button, audio enabling/disabling button with corresponding indication LEDs and 2 other buttons pre-set for self-ignition and switchboard call (these can, however, be programmed for various uses). It is normally used for local floor call management and call repetition, and comes complete with an 8-position DIP SWITCH for user code programming, as well as a second 8-position DIP SWITCH for programming management. Inclusion of the button card Art. 6333 allows a further 5 additional programmable buttons to be made available. The monitor can be used in SBC Simplebus TOP colour systems, or as an additional monitor for Simplebus KITS. Dimensions 138x138x24 mm.

**Compatibility**

Video door entry family:	Yes
Simplebus Top system:	Yes
Simplebus Color system:	Yes

**Mounting/Installation**

Flush-mounted:	Yes
Wall-mounted:	Yes
Desk base-mounted:	Yes

**Audio/video specifications**

Display size (inches):	3,5
B/W or colour display:	COLOR
OSD display:	No
Touch screen display:	No
On-screen display (OSD):	No
Display resolution:	320x240 PIXEL
Audio system:	No
Audio/video system:	Yes
Type of display:	LCD

**Hardware specifications**

Customisable housing:	No
Additional buttons:	5
Total buttons:	9
SD memory card:	No
Sensitive Touch technology:	No

# DATA SHEET

## Functions - Settings

Alarm function:	Yes
Switchboard call function:	Yes
Floor door call function:	Yes
Actuator control function:	Yes
Privacy conversation function:	Yes
Induction loop function:	No
Intercom function:	Yes
Privacy function:	Yes
Key button function:	Yes
Hands-free function:	Yes
Full Duplex hands-free function:	Yes
Display colour control:	No
Display contrast control:	No
Display brightness control:	Yes
Loudspeaker volume control:	Yes
Microphone volume control:	No
Ringtone volume control:	Yes

## Technical properties

Temperature range:	-0,090909091
--------------------	--------------

## Electrical specifications

DC supply voltage:	22 V
Maximum current absorption (mA):	240

## General info

Self-ignition:	Yes
EAN product code:	'8023903217162
Intrastat code:	85176910
Customisable ringtone:	Yes
Product height (mm):	137
Product width (mm):	137
Product depth (mm):	25
Product weight:	190
Product colour:	WHITE RAL9003

## Packaging

Single pack height (mm):	80
Single pack width (mm):	160
Single pack weight (g):	473
Single pack depth (mm):	160

## DATA SHEET

Single pack volume (dm3):

2,048

The technical specifications are subject to variations without warning