


Electrified Entry Trim

3080E Series

For 3000/8000 Series Exit Devices



3080E Series Electrified Entry Trim


The 3080E Series provides outside activation of doors that have any type of Adams Rite Exit Device. Breakaway clutching mechanism protects the locked handle from vandalism or forced entry, in either direction. All models share the same core components, so handles can be

changed without having to replace the entire trim. Solid construction meets Grade 1 standards. A continuous duty solenoid mounted to the trim enables remote activation of the locking function without unlatching the door, making this trim ideal for stairwell and fire doors.




Entry Trim

INSTALLATION



Cylinder and Solenoid Installation




Door Preparation and Trim Installation

Door prep and installation will differ depending on type of exit device being used. Refer to Adams Rite Templates for 3080E Series Entry Trim preparation details.

CYLINDERS


Mortise Cylinder



4036-01

Standard diameter five-pin unit with MS® cam, suitable for use with entry trim. All brass construction with front "scalp" available in finishes 628, 313 and 335. Available in quantity all keyed different (KD), in pairs (KA2) or fifty alike (KA50). Any other make standard mortise cylinder with MS® cam can be used to "key in" with existing systems.

Cylinder Cam



3080E Series Entry Trim can accept any standard 1-5/32" diameter mortise cylinder with special MS® cam dimensioned as shown. Cylinders with MS® cams can be readily obtained from most cylinder manufacturers. See page SW-37 for cylinder make and trim ring information.












OPTIONS

Can be ordered with or without a hole for cylinder. Order standard mortise cylinder with MS® cam separately. Order 4603 Rectifier, 4605/4606 Transformer or PS-1 Power Supply separately.

Entry Trim

DIMENSIONS

INCHES
MILLIMETERS



*The 3080-01, -02, and -03 lever handles are designed to return within 1/2" of the door face.
Handles in the Designer Series do not have this same feature. Please verify with local code requirements to ensure compliance.



AC-9

ENTRY TRIM

Entry Trim Ordering Matrix

