

DCM UA product information sheets

Product Specifications

Fits most: 37" - 70" flat panels

Supports up to: 400 lbs (181.4 kg)

Tilt: 0 to +30°

Universal & VESA compliant: 100x100 to 600x800

Warranty: 5 years

Color: Black

Product Benefits

- Supports two panels for back-to-back mounting
- Portrait or landscape orientation
- Includes universal adapters for greater panel compatibility
- Tension adjustment for variable tilt or locking pin mechanism for precise positioning in 5° increments
- Integrated cable management routes cables through NPT pipe and ceiling plate
- Lift n' Lock™ for quick installation
- Includes 24" of 1.5" NPT
- Threaded bottom pipe for additional accessories
- Includes ceiling plate
- Anti-theft security feature
- Includes complete Grade 5 hardware kit
- NPT extension pipes available in 12", 18" and 24" lengths



The DCM UA is equipped with a pin tilt mechanism which tilts the panel at precise increments making it well-suited for single or multiple panels



Series



DCM UA



DCM



SCM UA



SCM



Dedicated to being a one-stop shop for professional products, OmniMount remains on the cutting edge of product innovation. That's why we're the natural choice for any professional, industrial or commercial application. Together, our four professional grade ceiling mounts provide single or back-to-back mounting options. The DCM UA is a sturdy double flat panel ceiling mount with universal adapters, that allows flat panels or digital signage to be seen from multiple locations.



Dedicated to being a one-stop shop for professional products, OmniMount remains on the cutting edge of product innovation. That's why we're the natural choice for any professional, industrial or commercial application. Together, our four professional grade ceiling mounts provide single or back-to-back mounting options. The DCM UA is a sturdy double flat panel ceiling mount with universal adapters, that allows flat panels or digital signage to be seen from multiple locations.

Product Specifications

Fits most: 37" - 70" flat panels

Supports up to: 400 lbs (181.4 kg)

Tilt: 0 to +30°

Universal & VESA compliant: 100x100 to 600x800

Warranty: 5 years

Color: Black

Product Benefits

- Supports two panels for back-to-back mounting
- Portrait or landscape orientation
- Includes universal adapters for greater panel compatibility
- Tension adjustment for variable tilt or locking pin mechanism for precise positioning in 5° increments
- Integrated cable management routes cables through NPT pipe and ceiling plate
- Lift n' Lock™ for quick installation
- Includes 24" of 1.5" NPT
- Threaded bottom pipe for additional accessories
- Includes ceiling plate
- Anti-theft security feature
- Includes complete Grade 5 hardware kit
- NPT extension pipes available in 12", 18" and 24" lengths




UL LISTED

	Stock Code	Packaging UPC	MC UPC
Americas	1003485-1	728901019753	NA
International	1003485EU-1	728901020292	NA

	Dimensions WxDxH Inches (mm)	Wt lbs (kg)
Product Box	21.5 x 32 x 9.1 (546x813x232)	52.2 (23.7)
Master Carton	NA	NA

Box Contents	Qty
Ceiling plate	1
Straight pipe	1
Tilt hanger	1
Adapter plate	2
Universal adapter	2

Box Contents	Qty
Extension rail	4
Complete mount installation hardware kit	1
Complete panel attachment hardware kit	1
Instruction manual	1
Flat panel compatibility chart	1



Architects Specifications

The flat panel ceiling mount shall be an OmniMount model DCM UA and shall be located where indicated on the plans. It shall be constructed of sheet metal with +30° adjustable forward tilt. Assembly and installation shall be done according to instructions provided by the manufacturer.