# 14" Net Media Center Combo

PRODUCT SPECIFICATION

Package includes:

A. 14" Net Media Center Box
   Assembly, 1 pc
B. 14" Net Media Center Door
   Assembly, 1 pc
C. Door Latch, 1 pc
D. Rubber Grommet, 4 pcs
E. Rubber Bumper, 2 pcs
F. #6-32 x 3/8" Zinc Plated, Pan Head
   Hinge Screw, 2 pcs
G. 10 x 1" Zinc Plated, Phillips Wafer Head,
   Self Drill Mounting Screw, 4 pcs
H. Protective Cover, 1 pc
I. "NET MEDIA CENTER" Insert, 1 pc
J. Fastener, 4 pcs
K. Compact Module, CAT 6, Data, 8-Port, 1 pc
L. Compact Module, Telephone, 8-Port
   w/RJ31, 1pc
M. Resi module, 2 GHz Video Splitter, 1x6, 1 pc
N. Wiring Location Sheet, 1pc
O. Installation Instructions, 1pc

1x6 Video Splitter Module

Compact Telephone Module

CAT 6 Data Module

14" Net Media Center Box

Features and Benefits:

- Designed with steel construction, white powder coated, lightweight and sturdy.
- Designed to serve as the central distribution point for voice, data, video, audio, and security services for smaller residential structured wiring systems.
- Allows for internal modules to be mounted horizontally or vertically facilitating easier layout and wiring of the system, while providing for optimum cable management.
- Integrated snap-in module system enables users to quickly insert or move the internal modules.
- Supports up to 6 ICCMSCMPR1 or ICCMSCMPR2 Cable Management Rings for organizing and routing cable.
- Includes 4 top, 3 bottom, 6 rear, and 4 side knockouts for routing cables and 4 cable tie points.
- Includes a knockout for an optional AC power outlet (not included) to provide power distribution.
- Fits between 16" wall studs with 10 internal module mounting spaces or can be wall mounted.
- Designed with a door latch and an optional door lock knockout.
- Hinged door and NET MEDIA CENTER insert are reversible for opening from left or right.
- Accommodates all of ICRESXXXXX residential modules .
- Used with optional accessories including ICRDSDCAC2 distribution center rubber grommets, ICRESDCAC3 distribution center plastic grommets, and ICRDSDC2LK distribution center door lock.

COMBO, NET MEDIA CENTER, 14"			
ITEM NO.	ICRESDC14K	REV.	B
DWG NO.	PSRESDC14K	PAGE NO.	1

ICC
Premium Products
Proven Performance
Competitive Prices

13X Ø2.00
KNOCKOUT

3.68

4.00

14.25

9.00

6.00

.50
TYP

6.225

14.00

6.00

.50
TYP

30.58
FULLY OPENED

.625

15.50

15.75

NOTE: UNLESS OTHERWISE SPECIFIED

1. MATERIAL: 20 GA CRS
2. SURFACE FINISH: WHITE POWDER COAT

COMBO, NET MEDIA CENTER, 14"

ITEM NO.	ICRESDC14K	REV.	B
DWG NO.	PSRESDC14K	PAGE NO.	2

ICC
Premium Products
Proven Performance
Competitive Prices

CUSTOMER CARE / TECHNICAL SUPPORT * CSR@ICC.COM / 888-ASK-4-ICC (275-4422) * 14700 Alondra Blvd., La Mirada, CA 90638 * www.icc.com

NOTE: UNLESS OTHERWISE SPECIFIED

1. 8-PORT CAT 6 DATA MODULE:
   - A. PCB: GLASS EPOXY FR-4 COPPER CLAD, t=1.20mm
   - B. 110 BLOCK:
     - -HOUSING: PC, UL 94V-0
     - -IDC: PHOSPHOROUS BRONZE, TIN PLATED
   - C. RJ45 JACK/SOCKET:
     - -HOUSING: PBT + 15% FIBER GLASS
     - -CONTACT: PHOSPHOROUS BRONZE, 50u" GOLD PLATED
   - D. WIRING IN ACCORDANCE TO T568A
   - E. CATEGORY 6 RATED
2. LOCKING BUTTON: MATERIAL: NYLON 6/6, UL 94V-0

NOTE: UNLESS OTHERWISE SPECIFIED

1. 8-PORT TELEPHONE MODULE WITH RJ31X JACK:
   - A. PCB: GLASS EPOXY FR-4 COPPER CLAD, t=1.20mm
   - B. 110 BLOCK:
     - -HOUSING: PC, UL 94V-0
     - -IDC: PHOSPHOROUS BRONZE, TIN PLATED
   - C. RJ45 & RJ31X JACK/SOCKET:
     - -HOUSING: PBT + 15% FIBER GLASS
     - -CONTACT: PHOSPHOROUS BRONZE, 50u" GOLD PLATED
   - D. WIRING IN ACCORDANCE TO T568A
2. LOCKING BUTTON: MATERIAL: NYLON 6/6, UL 94V-0

RJ31X JACK

EXPANSION JACK

NOTE: UNLESS OTHERWISE SPECIFIED

1. 1X6 VIDEO SPLITTER:
   - A. HOUSING: DIE-CASTING WITH NICKEL PLATING
   - B. CONNECTORS: F-TYPE FEMALE
   - C. FREQUENCY RANGE: 5 ~ 2300 MHZ
   - D. INSERTION LOSS: 15 dB TYPICAL
2. MOUNTING BRACKET:
   - A. MATERIAL: 18 GA CRS
   - B. SURFACE FINISH: WHITE POWDER COAT
3. LOCKING BUTTON: MATERIAL: NYLON 6/6, UL 94V-0

COMBO, NET MEDIA CENTER, 14"

ITEM NO.	ICRESDC14K	REV.	B
DWG NO.	PSRESDC14K	PAGE NO.	3

ICC
PremiumProducts
ProvenPerformance
CompetitivePrices

CUSTOMER CARE / TECHNICAL SUPPORT * CSR@ICC.COM / 888-ASK-4-ICC (275-4422) * 14700 Alondra Blvd., La Mirada, CA 90638 * www.icc.com