


NÜVÖ®

The Sound of LiVing.



AccentPLUS® Speakers





TWO *AccentPLUS®2*

AccentPLUS®2

Unparalleled sound quality for flawless performance, every time.

For the truly discriminating listener, NuVo presents the opulent sound quality of the AccentPLUS®2 in-wall and in-ceiling speakers.


AccentPLUS®2 speakers bathe you in vivid, pristine sound with a richer bass response and enhanced performance. From smooth, dulcet highs to clean, precise mid-ranges to warm, robust bass tones, you'll hear each distinct note with astonishing clarity. Tailor-made for detailed sound execution at any volume and for an unparalleled listening experience in every area of your home.



The rigid DuPont™ Kevlar® cone, with a special long throw magnet, composes an incredibly deep bass response, increasing intensity and heightening output. Pivoting titanium tweeter creates ultra crisp high definition for critical listening.

AccentPLUS®2 Features:

- Durable butyl rubber surround
- 6.5 or 8 inch DuPont™ Kevlar® cone
- 30° pivoting titanium tweeter
- Enhanced 12 dB crossover
- Anti-debris basket
- Long throw magnet
- Paint friendly, low-profile aluminum grill



AccentPLUS®2 Outdoor

Because discriminating listeners expect sound quality worthy of a standing ovation, even outdoors.

Imagine all the enjoyment of an outdoor symphony, in the comfort and seclusion of your own private sanctuary. That's the magic you'll discover with AccentPLUS®2 Outdoor loudspeakers by NuVo. AccentPLUS®2 Outdoor speakers take the uncompromised sophistication of vivid, precise musical enjoyment where it has never gone before—your back yard.



AccentPLUS®2 Outdoor Features:

- Weather and UV-resistant, for use in all climates
- Polyethylene cabinets with honeycomb array for increased rigidity
- Bituminous acoustic damping inner lining
- 6.5 or 8 inch Dupont™ Kevlar® cone
- Titanium tweeter
- Long throw magnet for abundant output
- Steel U-bracket for wall mount and attachable bookshelf foot

Enjoy the abundant output of the legendary AccentPLUS®2 sound in the outdoor areas of your home. A DuPont™ Kevlar® cone for extended, deep bass and a honeycomb cabinet design with an acoustic damping lining, create an intense audio output that brings the concert home.



Specifications



AccentPLUS® 2

SYSTEM	NV-AP26C	NV-AP26CS	NV-AP28C	NV-AP26I	NV-AP28I
Description:	6.5" Ceiling Speaker with Co-axial Pivoting Tweeter	6.5" Stereo Ceiling Speaker with Dual Fixed Tweeter	8.0" Ceiling Speaker with Co-axial Pivoting Tweeter	6.5" In-Wall Speaker with Pivoting Tweeter	8.0" In-Wall Speaker with Pivoting Tweeter
Power Rating:	100W	100W	120W	100W	120W
Impedance:	8 ohm	8 ohm x 2	8 ohm	8 ohm	8 ohm
Efficiency:	91dB 1W/1M	91dB 1W/1M	92dB 1W/1M	91dB 1W/1M	92dB 1W/1M
Frequency Response:	50Hz-20kHz	50Hz-20kHz	40Hz-20kHz	50Hz-20kHz	40Hz-20kHz
Tweeter Crossover:	12dB / Octave; 4kHz	12dB / Octave; 4kHz	12dB / Octave; 3kHz	12dB / Octave; 4kHz	12dB / Octave; 3kHz
Woofer Crossover:	12dB / Octave; 4kHz	None	12dB / Octave; 3kHz	12dB / Octave; 4kHz	12dB / Octave; 3kHz
Dimensions (HxWxD):	9" Diameter x 3.75" (228mm Diameter x 96mm)	9" Diameter x 3.75" (228mm Diameter x 96mm)	10.75" Diameter x 4.375" (272mm Diameter x 112mm)	12" x 8.75" x 3.75" (306mm x 220mm x 95mm)	14.125" x 10" x 4" (358mm x 256mm x 101mm)
Cutout Dimensions:	8" (204mm)	8" (204mm)	9.75" (248mm)	11.125" x 7.75" (284mm x 198mm)	13.25" x 9.125" (336mm x 232mm)
Depth:	3" (75mm)	3" (75mm)	3.375" (86mm)	3" (75mm)	3.375" (86mm)
WOOFER					
Magnet:	10 oz (80 x 30 x 15mm)	10 oz (80 x 30 x 15mm)	20 oz (100 x 45 x15mm)	10 oz (80 x 30 x 15mm)	20 oz (100 x 45 x15mm)
Voice Coil:	1.0" (25mm) Polyimide Film	1.0" (25mm) Polyimide Film	1.5" (38mm) Polyimide Film	1.5" (25mm) Polyimide Film	1.5" (38mm) Polyimide Film
Cone:	DuPont™ Kevlar®	DuPont™ Kevlar®	DuPont™ Kevlar®	DuPont™ Kevlar®	DuPont™ Kevlar®
Surround:	Butyl Rubber	Butyl Rubber	Butyl Rubber	Butyl Rubber	Butyl Rubber
Dust Cover:	Polypropylene	Polypropylene	Polypropylene	Polypropylene	Polypropylene
TWEETER					
Magnet:	Neodymium	Neodymium	Neodymium	Neodymium	Neodymium
Dome:	20mm Titanium	2 x 13mm Mylar	25mm Titanium	20mm Titanium	25mm Titanium
Type:	Pivoting 30 degrees	Fixed Position	Pivoting 30 degrees	Pivoting 30 degrees	Pivoting 30 degrees





AccentPLUS® 2 Outdoor

SYSTEM	NV-AP260W (White) NV-AP260B (Black)	NV-AP260SW NV-AP260SB	NV-AP280W NV-AP280B	NV-AP280SW NV-AP280SB
Description:	6.5" Outdoor Loudspeaker	6.5" Stereo Outdoor Loudspeaker	8" Outdoor Loudspeaker	8" Stereo Outdoor Loudspeaker
Power Rating:	50W	40W x 2	100W	50W x 2
Impedance:	8 ohm	8 ohm x 2	8 ohm	8 ohm x 2
Efficiency:	89dB 1W/1M	89dB 1W/1M	91dB 1W/1M	91dB 1W/1M
Frequency Response:	55Hz-20kHz +/-3dB	55Hz-20kHz +/-3dB	45Hz-20kHz +/-3dB	45Hz-20kHz +/-3dB
Tweeter Crossover:	12dB	12dB	12dB	12dB
Woofer Crossover:	N/A	N/A	N/A	N/A
Cabinet Material:	Mineral Filled Polyethylene	Mineral Filled Polyethylene	Mineral Filled Polyethylene	Mineral Filled Polyethylene
Grill Material:	Powder Coated Aluminum	Powder Coated Aluminum	Powder Coated Aluminum	Powder Coated Aluminum
Bracket Material:	Powder Coated Steel	Powder Coated Steel	Powder Coated Steel	Powder Coated Steel
Dimension: (HxWxD)	13" x 7.625" x 7.5" (330mm x 193mm x 190mm)	13" x 7.625" x 7.5" (330mm x 193mm x 190mm)	15" x 9.5" x 10" (382mm x 240mm x 258mm)	15" x 9.5" x 10" (382mm x 240mm x 258mm)
Depth w/Bracket:	8" (205mm)	8" (205mm)	9.75" (250mm)	9.75" (250mm)
Weight (Unit):	7.50 lbs (3.40kg)	7.5 lbs (3.40kg)	10.50 lbs (4.80kg)	10.50 lbs. (4.80kg)
WOOFER				
Magnet Structure:	Ferrite, 13oz (370g) Extended Back Plate	Ferrite, 13oz (370g) Extended Back Plate	Ferrite, 17oz (480g) Extended Back Plate	Ferrite, 17oz (480g) Extended Back Plate
Voice Coil:	1" (25mm) Polyimide Film	1" (25mm) Polyimide Film	1.5" (38mm) Polyimide Film	1.5" (38mm) Polyimide Film
Cone:	6.5" (165mm) DuPont™ Kevlar®	6.5" (165mm) DuPont™ Kevlar®	8" (203mm) DuPont™ Kevlar®	8" (203mm) DuPont™ Kevlar®
Surround:	Butyl Rubber	Butyl Rubber	Butyl Rubber	Butyl Rubber
Dust Cover:	Polypropylene	Polypropylene	Polypropylene	Polypropylene
TWEETER				
Magnet:	Neodymium	Neodymium	Neodymium	Neodymium
Dome:	Titanium .75" (19mm)	Titanium .75" (19mm)	Titanium 1" (25mm)	Titanium 1" (25mm)
Type:	Fixed Position	Fixed Position	Fixed Position	Fixed Position

Unparalleled sound quality for flawless performance, every time.