

OL125FT product information sheet

Product Specifications

Fits most: 23" - 45" flat panels

Supports up to: 125 lbs (56.7 kg)

Tilt: 3°, 5° and 7°

Mounting Profile: 2.0" (51 mm)

Universal & VESA compliant: 100x100 to 400x400

Mounting: Double-stud

UL Listed: Yes

Warranty: 5 years

Color: Black



Product Benefits

- Eco-friendly design and packaging
- Low 2.0" (51mm) mounting profile
- Tilt at 3°, 5° and 7° to reduce glare
- Streamlined dual-function rails can easily alternate between fixed and tilt positions
- Includes universal rails and spacers for greater panel compatibility
- Single wall plate offers hassle-free installation
- Small footprint provides ample room for power and A/V cutouts behind panel
- Lift n' Lock™ for quick installation
- Sliding lateral on-wall adjustment
- Locking system secures panel to mount
- Installation template for simple and accurate mounting



Exclusively by OmniMount, the eco-friendly OmniLite packaging is designed with installation instructions and a mounting template printed on the inside of the box, giving you everything needed to mount your flat panel with confidence — but without waste.

Series



OL50FT



OL125FT



OL200FT



OL50C



OL125C



Dedicated to being a one-stop shop for professional products, OmniMount remains on the cutting edge of product innovation. That's why we're the natural choice for any professional, industrial, or commercial application. In our ongoing effort to conserve nature's resources and reduce waste, OmniMount is proud to introduce the eco-friendly OmniLite Series.™ Wherever possible, we've minimized component parts and used recycled materials in an effort to offer efficient mounting solutions, without sacrificing quality. The OL125FT has an efficient dual-function design and is perfect for eco-conscious consumers looking for a medium flat panel mounting solution.



OL125FT technical data sheet



Dedicated to being a one-stop shop for professional products, OmniMount remains on the cutting edge of product innovation. That's why we're the natural choice for any professional, industrial, or commercial application. In our ongoing effort to conserve nature's resources and reduce waste, OmniMount is proud to introduce the eco-friendly OmniLite Series.™ Wherever possible, we've minimized component parts and used recycled materials in an effort to offer efficient mounting solutions, without sacrificing quality. The OL125FT has an efficient dual-function design and is perfect for eco-conscious consumers looking for a large flat panel mounting solution.



Product Specifications

Fits most: 23" - 45" flat panels

Supports up to: 125 lbs (56.7 kg)

Tilts: 3°, 5° and 7° increments

Mounting Profile: 2.0" (51 mm)

Universal & VESA Compliant: 100x100 to 400x400

Mounting: Double-stud

Warranty: 5 years

Color: Black

Product Benefits


- Eco-friendly design and packaging
- Low 2.0" (51mm) mounting profile
- Tilt at 3°, 5° and 7° increments to reduce glare
- Streamlined dual-function rails can easily alternate between fixed and tilt positions
- Includes universal rails and spacers for greater panel compatibility
- Single wall plate offers hassle-free installation
- Small footprint provides ample room for power and A/V cutouts behind panel
- Lift n' Lock™ for quick installation
- Sliding lateral on-wall adjustment
- Locking system secures panel to mount
- Installation template for simple and accurate mounting
- Includes complete Grade 5 hardware kit

	Stock Code	Packaging UPC	MC UPC
Americas	1004524-1	728901023651	728901717109
International	1004524INT-1	728901023651	728901717109

Box Contents	Qty
Wall plate	1
Universal rail	2
Locking bar	1
Complete mount installation hardware kit	1

	Dimensions WxDxH Inches (mm)	Wt lbs (kg)
Product Box	23.8 x 5.5 x 2.4 (605x140x60)	7.3 (3.3)
Master Carton	24.6 x 6.3 x 11.2 (625x160x285)	29.8 (13.5)

Box Contents	Qty
Complete mount attachment hardware kit	1
Instruction manual	1
Flat panel compatibility chart	1



inches (mm)