

# Power40 product information sheet

## Product Specifications

**Fits most:** 23" - 46" flat panels

Supports up to: 66 lbs (30 kg)

Tilt: Up to +15°

Pan: Up to 20° left and right

Mounting profile: 2.7" (69mm)

Maximum usable extension: 7.4" (189mm)

VESA compliant: 100x100 to 300x200 (up to 400x400 with included adapters)

Mounting: Single-stud

UL listed: Yes

**CE listed:** Yes

**TÜV GS listed:** Yes

**Warranty:** 12 months

Color: Black



## Product Benefits

- Reposition your flat panel from anywhere in a room with remote control
- Tilt, pan and swivel for maximum viewing flexibility
- Remote controllable via IR (two programmable positions) and RS232 (three programmable positions). Remote control and RS232 cable included.
- Safety mechanism stops motion when movement is obstructed
- Lift n' Lock™ for quick installation
- Virtually silent operation (40dB)
- Programmable wall detection
- Includes adapters for greater VESA compatibility
- Installation template for simple and accurate mounting
- Includes level and complete Grade 5 hardware kit



The Power40 offers all the advantages of automation including a programmable remote control so you can reposition the mount from anywhere in a room




Recipient of the  
2008 Residential  
Systems Resi Award

## Series



Power40



Power55



Lift42



Dedicated to being a one-stop shop for professional products, OmniMount remains on the cutting edge of product innovation. That's why we're the natural choice for any professional, industrial, or commercial application. OmniMount remains on the cutting-edge of innovation by offering the MotionPicture Series – a full line of remote controlled motorized mounts designed with the convenience of automation. The Power40 is a state-of-the-art remote controlled motorized cantilever mount that tilts, pans and swivels medium flat panels from anywhere in a room with the touch of a button.



## Product Specifications

**Fits most:** 23" - 46" flat panels

**Supports up to:** 66 lbs (30 kg)

**Tilt:** Up to +15°

**Pan:** Up to 20° left and right

**Mounting profile:** 2.7" (69mm)

**Maximum usable extension:** 7.4" (189mm)

**VESA compliant:** 100x100 to 300x200 (up to 400x400 with included adapters)

**Mounting:** Single-stud

**UL listed:** Yes

**CE listed:** Yes

**TÜV GS listed:** Yes

**Warranty:** 12 months

**Color:** Black

## Product Benefits

- Reposition your flat panel from anywhere in a room with remote control
- Tilt, pan and swivel for maximum viewing flexibility
- Remote controllable via IR (two programmable positions) and RS232 (three programmable positions). Remote control and RS232 cable included.
- Safety mechanism stops motion when movement is obstructed
- Lift n' Lock™ for quick installation
- Virtually silent operation (40dB)
- Programmable wall detection
- Includes adapters for greater VESA compatibility
- Installation template for simple and accurate mounting
- Includes level and complete Grade 5 hardware kit




	Stock Code	Packaging UPC	MC UPC
Americas	1004316-1	728901022661	NA
International	NA	NA	NA





	Dimensions WxDxH Inches (mm)	Wt lbs (kg)
Product Box	20 x 17.8 x 7.5 (508x452x191)	22 (10)
Master Carton	NA	NA

Box Contents	Qty
Motorized wall mount	1
Adapter	4
Remote control	1
RS232 cable	1
IR receiver	1
Power adapter	1
Power cord	1


Box Contents	Qty
Adapter housing	1
Complete mount installation hardware kit	1
Complete panel attachment hardware kit	1
Level	1
Installation template	1
Instruction manual	1
Flat panel compatibility chart	1



Without adapters



With adapters option 1



With adapters option 2