

# SCM UA product information sheet

## Product Specifications

**Fits most:** 37" - 70" flat panels

**Supports up to:** 200 lbs (90.7 kg)

**Tilt:** 0 to +30°

**Universal & VESA compliant:** 100x100 to 600x800

**Warranty:** 5 years

**Color:** Black


## Product Benefits

- Portrait or landscape orientation
- Includes universal adapter for greater panel compatibility
- Tension adjustment for variable tilt or locking pin mechanism for precise positioning in 5° increments
- S-bend pipe provides proper weight distribution
- Integrated cable management routes cables through NPT pipe and ceiling plate
- Lift n' Lock™ for quick installation
- Includes 24" of 1.5" NPT
- Threaded bottom pipe for additional accessories
- Includes ceiling plate
- Anti-theft security feature
- Includes complete Grade 5 hardware kit
- NPT extension pipes available in 12", 18" and 24" lengths



The SCM UA is equipped with a pin tilt mechanism which tilts the panel at precise increments making it well-suited for single or multiple panels

## Series



DCM UA




DCM



SCM UA



SCM



Dedicated to being a one-stop shop for professional products, OmniMount remains on the cutting edge of product innovation. That's why we're the natural choice for any professional, industrial or commercial application. Together, our four professional grade ceiling mounts provide single or back-to-back mounting options. The SCM UA is a sturdy single flat panel mount, with universal adapter, that's ideal for any ceiling application – whether TV viewing or digital signage.



Dedicated to being a one-stop shop for professional products, OmniMount remains on the cutting edge of product innovation. That's why we're the natural choice for any professional, industrial or commercial application. Together, our four professional grade ceiling mounts provide single or back-to-back mounting options. The SCM UA is a sturdy single flat panel mount, with universal adapter, that's ideal for any ceiling application – whether TV viewing or digital signage.

## Product Specifications

**Fits most:** 37" - 70" flat panels

**Supports up to:** 200 lbs (90.7 kg)

**Tilt:** 0 to +30°


**Universal & VESA compliant:** 100x100 to 600x800

**Warranty:** 5 years

**Color:** Black

## Product Benefits

- Portrait or landscape orientation
- Includes universal adapter for greater panel compatibility
- Tension adjustment for variable tilt or locking pin mechanism for precise positioning in 5° increments
- S-bend pipe provides proper weight distribution
- Integrated cable management routes cables through NPT pipe and ceiling plate
- Lift n' Lock™ for quick installation
- Includes 24" of 1.5" NPT
- Threaded bottom pipe for additional accessories
- Includes ceiling plate
- Anti-theft security feature
- Includes complete Grade 5 hardware kit
- NPT extension pipes available in 12", 18" and 24" lengths





	Stock Code	Packaging UPC	MC UPC
Americas	1003486-1	728901019760	NA
International	1003486EU-1	728901020285	NA


Box Contents	Qty
Ceiling plate	1
Bent pipe	1
Tilt hanger	1
Adapter plate	1
Universal adapter	1

	Dimensions WxDxH Inches (mm)	Wt lbs (kg)
Product Box	21.5 x 32 x 6.6 (546x813x167)	32.2 (14.6)
Master Carton	NA	NA

Box Contents	Qty
Extension rail	2
Complete mount installation hardware kit	1
Complete panel attachment hardware kit	1
Instruction manual	1
Flat panel compatibility chart	1



Universal adapter - maximum rail extension



## Architects Specifications

The flat panel ceiling mount shall be an OmniMount model SCM UA and shall be located where indicated on the plans. It shall be constructed of sheet metal with +30° adjustable forward tilt. Assembly and installation shall be done according to instructions provided by the manufacturer.