

Cisco SD208 8-Port 10/100 Switch Cisco Small Business Unmanaged Switches

Easy-to-Use, Flexible Switching for Small Businesses

Highlights

- · Designed for small businesses that require speed, reliablity, and simple management
- Connects up to eight devices PCs, printers, and wireless access points, with auto-sensing ports
- · Works right out of the box with no software to configure
- · Compact size provides multiple placement options for areas with limited space

Figure 1. Cisco SD208 8-Port 10/100 Switch



Product Overview

The Cisco[®] SD208 8-Port 10/100 Switch can significantly increase the speed of your network traffic. A switch serves the same function as a hub in a network design, tying your network equipment together. But unlike a simple-minded hub, which divides the network's bandwidth among all the attached devices, a switch delivers full network speeds at each port. Installing this cost-effective 8-port 10/100 switch can potentially give you eight times your current network speed.

It's also the perfect way of integrating 10-Mbps Ethernet and 100-Mbps Fast Ethernet devices. All eight ports are auto speed negotiating and have automatic medium dependent interface (MDI) and MDI crossover (MDI-X) detection, so you don't have to worry about the cable type. Each port independently negotiates for best speed and half- or full-duplex mode, for up to 200 Mbps of bandwidth per port. Fast store-and-forward switching prevents damaged packets from being passed on to the network.

The ultra-compact case design is sure to fit into your workgroup environment. Let the Cisco SD208 8-Port 10/100 Switch kick your 10/100 network into high gear.

Features

- Ideal for integrating your 10BASE-T and 100BASE-TX network hardware
- Eight 10/100 ports provide dedicated bandwidth in half- or full-duplex modes
- Each port supports auto MDI/MDI-X cable detection
- · Compatible with all major network operating systems
- Advanced store-and-forward packet switching optimizes data transfers
- · Auto partitioning protects PCs from downed network lines
- · Signal regeneration ensures data transfer integrity

Specifications

Table 1 contains the specifications, package contents, and minimum requirements for the Cisco SD208 8-Port 10/100 Switch.

Table 1. Specifications for the Cisco SD208 8-Port 10/100 Switch

Specifications	
Standards	IEEE 802.3, IEEE 802.3u
Ports	8 RJ-45 10/100
Cabling type	Category 5 Ethernet
LEDs	System, Port Status 1 through 8
Environmental	
Dimensions	5.12 x 1.18 x 5.00 in.
WxHxD	(130 x 30 x 127 mm)
Unit weight	15 oz. (0.43 kg)
Power	DC 12V, 500 mA
Certification	FCC Class B, CE
Operating temperature	32º to 122ºF (0º to 50ºC)
Storage temperature	-40° to 158°F (40° to 75°C)
Operating humidity	20% to 95%, noncondensing
Storage humidity	5% to 90%, noncondensing

Package Contents

- Cisco SD208 8-Port 10/100 Switch
- Power adapter
- Printed user guide
- Registration card

Minimum Requirements

- 200-MHz or faster processor
- 64 MB RAM recommended
- Ethernet adapter capable of 10 Mbps
- Windows 95/98/Me/NT 4.0/2000/XP

Product Warranty

Limited lifetime hardware warranty with return to factory replacement and 1-year limited warranty for fans and power supplies

Cisco Limited Lifetime Hardware Warranty

Cisco Small Business products offer a limited lifetime hardware warranty with return to factory replacement and a 1-year limited warranty for fans and power supplies. In addition, Cisco offers software application updates for bug fixes and telephone technical support at no charge for the first 12 months following the date of purchase. To download software updates, go to: http://www.cisco.com/go/smallbiz.

Product warranty terms and other information applicable to Cisco products are available at http://www.cisco.com/go/warranty.

For More Information

For more information on Cisco Small Business products and solutions, visit: http://www.cisco.com/smallbusiness.



Americas Headquarters Cisco Systems, Inc. San Jose, CA Asia Pacific Headquarters Cisco Systems (USA) Pte. Ltd. Singapore Europe Headquarters Cisco Systems International BV Amsterdam. The Netherlands

Cisco has more than 200 offices worldwide. Addresses, phone numbers, and fax numbers are listed on the Cisco Website at www.cisco.com/go/offices.

CCDE, CCENT, Cisco Eos, Cisco Lumin, Cisco Nexus, Cisco StadiumVision, Cisco TelePresence, Cisco WebEx, the Cisco logo, DCE, and Welcome to the Human Network are trademarks; Changing the Way We Work, Live, Play, and Learn and Cisco Store are service marks; and Access Registrar, Aironet, AsyncOS, Bringing the Meeting To You, Catalyst, CCDA, CCDP, CCIE, CCIP, CCNA, CCNP, Cisco, the Cisco Certified Internetwork Expert logo, Cisco IOS, Cisco Press, Cisco Systems, Cisco Systems Capital, the Cisco Systems logo, Cisco Unity, Collaboration Without Limitation, EtherFast, EtherSwitch, Event Center, Fast Step, Follow Me Browsing, FormShare, GigaDrive, HomeLink, Internet Quotient, IOS, iPhone, iQuick Study, IronPort, the IronPort logo, LightStream, Linksys, MediaTone, MeetingPlace, MeetingPlace Chime Sound, MGX, Networkers, Networking Academy, Network Registrar, PCNow, PIX, PowerPanels, ProConnect, ScriptShare, SenderBase, SMARTnet, Spectrum Expert, StackWise, The Fastest Way to Increase Your Internet Quotient, TransPath, WebEx, and the WebEx logo are registered trademarks of Cisco Systems, Inc. and/or its affiliates in the United States and certain other countries.

All other trademarks mentioned in this document or website are the property of their respective owners. The use of the word partner does not imply a partnership relationship between Cisco and any other company. (0809R)

Printed in USA C78-502064-00 11/08