

SECURITY-CAMERA HOUSINGS AND HOUSING MOUNTS

APW offers a full line of CCTV enclosures and hardware. Created with the installer in mind, these products are designed for easy installation. All APW security products are manufactured to the highest quality standards, conforming to CCTMA EIA standards.

Our full line of "Installer Friendly" security enclosure solutions include:

- Camera housings (Environmental/Indoor)
- Camera mounts
- VCR lock boxes
- Security cabinets, racks, and consoles
- Monitor mounts
- VCR mounts




SECURITY—INDOOR/OUTDOOR CAMERA HOUSINGS AND HOUSING MOUNTS

INDOOR/OUTDOOR CAMERA HOUSINGS WITH MOUNT COMPATIBILITY CHART

Item Number	Size (in.)	Inside Clearance (in.)	Shell Material	Compatible Mounts				
				Top	Wall	Pole	Ceiling	Pedestal
CCSH-7AL	7	7.25	Aluminum	N/A	CCHM-6	CCHM-6P	HCM-12 CCHCM-1 HCM-3	CCHPM-3, HPM-3 CCHPM-6, HPM-6 CCHPM-12, HPM-12
CCSH-10ST	10	10.00	Steel	N/A	CCHM-8	CCHM-8P	HCM-12 CCHCM-1 HCM-3	CCHPM-3, HPM-3 CCHPM-6, HPM-6 CCHPM-12, HPM-12
CCSH-10STD	10	10.00	Heavy-Duty	N/A	BRHM-12CP	N/A	HCM-12 CCHCM-1 HCM-3	CCHPM-3, HPM-3 CCHPM-6, HPM-6 CCHPM-12, HPM-12
CCSH-10AL	10	9.25	Aluminum	N/A	CCHM-8	CCHM-8P	HCM-12 CCHCM-1 HCM-3	CCHPM-3, HPM-3 CCHPM-6, HPM-6 CCHPM-12, HPM-12
CCSH-10PG	10	10.00	Steel	CCHM-8PG	N/A	N/A	HCM-12 CCHCM-1 HCM-3	CCHPM-3, HPM-3 CCHPM-6, HPM-6 CCHPM-12, HPM-12
CCSH-10SS	10	10.00	Stainless Steel	N/A	CCHM-8SS	N/A	HCM-12 CCHCM-1 HCM-3	CCHPM-3, HPM-3 CCHPM-6, HPM-6 CCHPM-12, HPM-12
BRH-15	15	13.25	Ballistic	N/A	BRHM-12CP	N/A	HCM-12 CCHCM-1 HCM-3	CCHPM-3, HPM-3 CCHPM-6, HPM-6 CCHPM-12, HPM-12
SCH-4	15	15.00	Steel	N/A	HM-1	HM-1P	HCM-12 CCHCM-1 HCM-3	CCHPM-3, HPM-3 CCHPM-6, HPM-6 CCHPM-12, HPM-12
SCH-4PG	15	15.00	Steel	CCHM-8PG	N/A	N/A	HCM-12 CCHCM-1 HCM-3	CCHPM-3, HPM-3 CCHPM-6, HPM-6 CCHPM-12, HPM-12
CCEVH-15SS	15	14.50	Stainless Steel	N/A	HM-11SS	N/A	HCM-12 CCHCM-1 HCM-3	CCHPM-3, HPM-3 CCHPM-6, HPM-6 CCHPM-12, HPM-12



CCSH-7AL shown mounted on CCHM-6



CCEVH-15SS shown mounted on SSJM-11

BLOWER KITS

Item Number	Description	Compatible Housings	Shipping Weight (lbs.)
B-24V	Blower kit - 24VAC	CCEVH-12 CCEVH-15	.3
B-120V	Blower kit - 120VAC	CCEVH-12 CCEVH-15	.3
B-14-24V	Blower kit - 24VAC	CCEVH-14	.3
B-14-120V	Blower kit - 120VAC	CCEVH-14	.3
B1-24V	Blower kit - 24VAC	CCEVH-10 CCEVH-13	.3
B1-120V	Blower kit - 120VAC	CCEVH-10 CCEVH-13	.3

Application Tips

- Thermostatically controlled Blower Kits activate at 90 degrees.
- Blower kits can be ordered factory installed in environmental housings (See Environmental Housings).

HEATER KITS

Item Number	Description	Compatible Housings	Shipping Weight (lbs.)
H-10/13-24V	Heater kit - 24VAC	CCEVH-10 CCEVH-13	.3
H-10/13-120V	Heater kit - 120VAC	CCEVH-10 CCEVH-13	.3
H-14-24V	Heater kit - 24VAC	CCEVH-14	.3
H-14-120V	Heater kit - 120VAC	CCEVH-14	.3
H-12/15-24V	Heater kit - 24VAC	CCEVH-12 CCEVH-15	.3
H-12/15-120V	Heater kit - 120VAC	CCEVH-12 CCEVH-15	.3
H-10MAG-24V	Heater kit - 24VAC	CCSH-10MAG	.3
H-10MAG-120V	Heater kit - 120VAC	CCSH-10MAG	.3
SPH-12/15-24V	Universal heater kit - 24VAC	Universal	.3
SPH-12/15-120V	Universal heater kit - 120VAC	Universal	.3

Application Tips

- Thermostatically controlled Heater Kits activate at 40 degrees.
- Universal heater kit SPH-12/15-24V should be used with indoor and surface mounted housings.
- Heater kits can be ordered factory installed in environmental housings (See Environmental Housings).

BLOWER & HEATER COMBINATION KITS

Item Number	Description	Compatible Housings	Shipping Weight (lbs.)
HB-24V	Blower & Heater kit - 24VAC	CCEVH-10 CCEVH-13	.5
HB-120V	Blower & Heater kit - 120VAC	CCEVH-10 CCEVH-13	.5
HB-14-24V	Blower & Heater kit - 24VAC	CCEVH-14	.5
HB-14-120V	Blower & Heater kit - 120VAC	CCEVH-14	.5

Application Tips

- Thermostatically controlled Heater Kits activate at 40 degrees.
- Thermostatically controlled Blower Kits activate at 90 degrees.
- Blower/Heater kits can be ordered factory installed in environmental housings (See Environmental Housings).

SUN SHIELDS

Item Number	Compatible Housing	Shipping Weight (lbs.)
SS-10ST	CCSH-10ST	1
SS-12	CCEVH-12	1
SS-13	CCEVH-13	1
SS-14	CCEVH-14	1
SS-15	CCEVH-15	1
SS-200	IRDUAL-200	1
SSS-15	CCEVH-15SS	1
SSS-BRH15	BRH-15	2

WALL MOUNTS

Item Number	Description	Shipping Weight (lbs.)
BRHM-12CPW	Ballistic-rated wall-mount w/ heavy-duty head and cable pass Extends 12" from mounting surface. White only	8
CCHM-6*	Chip-camera wall-mount w/ mini HM head Extends 6" from mounting surface	2
CCHM-8*	Chip-camera wall-mount w/ mini-HM head Extends 8" from mounting surface	3
CCHM-9.5*	Chip-camera wall-mount w/ HM head Extends 9.5" from mounting surface	4
CCHM-8PG*	Chip-camera mount for parking garage housings (PG) 8" x 8" right angle mount	5
CCSHM-8*	Chip-camera security mount Extends 8" from mounting surface	4
CCSHM-9.5*	Chip-camera security mount Extends 9.5" from mounting surface	5
HM-1*	Wall-mount for medium-duty EVH housings Extends 12" from mounting surface	4
HM-2*	Wall-mount for large EVH housings Extends 16" from mounting surface	5
HM-4*	Large pan/tilt housing mount head - Aluminum Extends 20" from mounting surface	1
SHM-1*	Security mount for medium housings Extends 12" from mounting surface	5
SHM-1KIT*	Security mount kit for HM-1	1
SHM-2*	Heavy-duty large security housing mount Extends 16" from mounting surface	6
SHM-8KIT*	Security mount kit for CCHM-8 mounts	1
HM-11SS	Stainless steel mount for CCEVH-15SS Extends 11" from mounting surface	

* Specify color: "K"=Black "B"=Beige "W"=White

Example: CCHM-6K



CCHM-6



SHM-1



HCM-12

CEILING MOUNTS

Item Number	Description	Shipping Weight (lbs.)
CCHCM-1*	Ceiling mount Extends 16.375" from mounting surface	3
HCM-3*	Ceiling mount Extends 19.00" from mounting surface	3
HCM-12*	Ceiling-mount w/ mini-HM-head Extends 10.50" from mounting surface	3

* Specify color: "K"=Black "B"=Beige "W"=White

Example: CCHCM-1K



HCM-3

TOP MOUNTS

Item Number	Description	Shipping Weight (lbs.)
CCHM-8PG	8.00" x 8.00" right angle mount Constructed of 1.50" dia. tubing White finish only	5



CCHM-8PG

PEDESTAL MOUNTS

Item Number	Description	Shipping Weight (lbs.)
CCHPM-3*	Chip-camera housing pedestal mount w/ mini-HM-head Extends 4.652" from mounting surface.	2
CCHPM-6*	Chip-camera housing pedestal mount w/ mini-HM-head Extends 7.652" from mounting surface.	3
HPM-6*	Medium-duty housing pedestal mount w/ HM-head Extends 8.50" from mounting surface.	3
HPM-12*	Medium-duty housing pedestal mount w/ HM-head Extends 14.50" from mounting surface.	4

* Specify color: "K"=Black "B"=Beige "W"=White

Example: CCHCM-1K




POLE MOUNTS

Item Number	Description	Shipping Weight (lbs.)
CCHM-6P*	Housing pole mount w/ mini-HM-head Extends 6.00" from pole	2
CCHM-8P*	Housing pole mount w/ mini-HM-head Extends 8.00" from pole	3
CCHM-9.5P*	Housing pole mount w/ HM-head Extends 10.00" from pole	4
HM-1P*	Housing pole mount Extends 12.00" from pole	4
HM-2P*	Housing pole mount Extends 16.00" from pole	5

* Specify color: "K"=Black "B"=Beige "W"=White

Example: CCHM-6PK

Note: When ordering any APW pole mount a clamp kit must also be ordered. (CP-10 or CP-100, see accessories)




CABLE PASS MOUNTS

Item Number	Description	Shipping Weight (lbs.)
CCHM-6CP*	Housing wall mount with cable pass Extends 6.00" from mounting surface	2
CCHM-8CP*	Housing wall mount with cable pass Extends 8.00" from mounting surface	3
CCHM-9.5CP*	Housing wall mount with cable pass Extends 10.00" from mounting surface	4
CCSHM-8CP*	Chip camera security housing mount with cable pass Extends 8.00" from mounting surface	4
CCSHM-9.5CP*	Chip camera security housing mount with cable pass Extends 10.00" from mounting surface	5

* Specify color: "K"=Black "B"=Beige "W"=White

Example: CCHM-6CPK



Application Tips

- All mounts come with an adjustable tilt and 360° horizontal mounting head.

CAMERA HOUSINGS AND MOUNT COMPATIBILITY

Item Number	Size (in.)	Inside Clearance	Shell Material	Compatible Mounts				
				Top	Wall	Pole	Ceiling	Pedestal
CCEVH-6	6	5.38	Aluminum	N/A	CCHM-8	CCHM-8P	HCM-12 CCHCM-1 HCM-3	CCHPM-3, HPM-3 CCHPM-6, HPM-6 CCHPM-12, HPM-12
CCSH-10MAG	10	10.00	Plastic	N/A	CCHM-8	CCHM-8P	HCM-12 CCHCM-1 HCM-3	CCHPM-3, HPM-3 CCHPM-6, HPM-6 CCHPM-12, HPM-12
CCEVH-10	10	9.50	Aluminum	N/A	CCHM-8	CCHM-8P	HCM-12 CCHCM-1 HCM-3	CCHPM-3, HPM-3 CCHPM-6, HPM-6 CCHPM-12, HPM-12
CCEVH-10PG	10	9.50	Aluminum	CCHM-8PG	N/A	N/A	HCM-12 CCHCM-1 HCM-3	CCHPM-3, HPM-3 CCHPM-6, HPM-6 CCHPM-12, HPM-12
CCEVH-12	12	11.75	Aluminum	N/A	CCHM-9.5	CCHM-9.5P	HCM-12 CCHCM-1 HCM-3	CCHPM-3, HPM-3 CCHPM-6, HPM-6 CCHPM-12, HPM-12
CCEVH-13	13	12.50	Aluminum	N/A	CCHM-8	CCHM-8P	HCM-12 CCHCM-1 HCM-3	CCHPM-3, HPM-3 CCHPM-6, HPM-6 CCHPM-12, HPM-12
CCEVH-13PG	13	12.50	Aluminum	CCHM-8PG	N/A	N/A	HCM-12 CCHCM-1 HCM-3	CCHPM-3, HPM-3 CCHPM-6, HPM-6 CCHPM-12, HPM-12
CCEVH-14	14	12.00	Plastic	N/A	CCHM-8	CCHM-8P	HCM-12 CCHCM-1	CCHPM-3 CCHPM-6 CCHPM-12
CCEVH-15	15	14.50	Aluminum	N/A	CCHM-9.5	CCHM-9.5P	HCM-12 CCHCM-1 HCM-3	CCHPM-3, HPM-3 CCHPM-6, HPM-6 CCHPM-12, HPM-12



CCEVH-6 shown mounted on CCHPM-3



CCSH-10MAG shown mounted on CCHM-8

CAMERA HOUSINGS WITH 24V HEATER AND BLOWER UNITS INSTALLED

Item Number	Size (in.)	Description	Shell Material	Compatible Mounts				
				Top	Wall	Pole	Ceiling	Pedestal
10BHI-24	10.00	with heater and blower	Aluminum	N/A	CCHM-8	CCHM-8P	HCM-12 CCHCM-1 HCM-3	CCHPM-3, HPM-3 CCHPM-6, HPM-6 CCHPM-12, HPM-12
10BI-24	10.00	with blower	Aluminum	N/A	CCHM-8	CCHM-8P	HCM-12 CCHCM-1 HCM-3	CCHPM-3, HPM-3 CCHPM-6, HPM-6 CCHPM-12, HPM-12
10HI-24	10.00	with heater	Aluminum	N/A	CCHM-8	CCHM-8P	HCM-12 CCHCM-1 HCM-3	CCHPM-3, HPM-3 CCHPM-6, HPM-6 CCHPM-12, HPM-12
10BHI-24PG	10.00	with heater and blower	Aluminum	CCHM-8PG	N/A	N/A	HCM-12 CCHCM-1 HCM-3	CCHPM-3, HPM-3 CCHPM-6, HPM-6 CCHPM-12, HPM-12
10HI-24MAG	10.00	with heater	Plastic	N/A	CCHM-8	CCHM-8P	HCM-12 CCHCM-1 HCM-3	CCHPM-3, HPM-3 CCHPM-6, HPM-6 CCHPM-12, HPM-12
12BHI-24	12.00	with heater and blower	Aluminum	N/A	CCHM-9.5	CCHM-9.5P	HCM-12 CCHCM-1 HCM-3	CCHPM-3, HPM-3 CCHPM-6, HPM-6 CCHPM-12, HPM-12
12BI-24	12.00	with blower	Aluminum	N/A	CCHM-9.5	CCHM-9.5P	HCM-12 CCHCM-1 HCM-3	CCHPM-3, HPM-3 CCHPM-6, HPM-6 CCHPM-12, HPM-12
12HI-24	12.00	with heater	Aluminum	N/A	CCHM-9.5	CCHM-9.5P	HCM-12 CCHCM-1 HCM-3	CCHPM-3, HPM-3 CCHPM-6, HPM-6 CCHPM-12, HPM-12
13BHI-24	13.00	with heater and blower	Aluminum	N/A	CCHM-8	CCHM-8P	HCM-12 CCHCM-1 HCM-3	CCHPM-3, HPM-3 CCHPM-6, HPM-6 CCHPM-12, HPM-12
13BI-24	13.00	with blower	Aluminum	N/A	CCHM-8	CCHM-8P	HCM-12 CCHCM-1 HCM-3	CCHPM-3, HPM-3 CCHPM-6, HPM-6 CCHPM-12, HPM-12
13HI-24	13.00	with heater	Aluminum	N/A	CCHM-8	CCHM-8P	HCM-12 CCHCM-1 HCM-3	CCHPM-3, HPM-3 CCHPM-6, HPM-6 CCHPM-12, HPM-12
13BHI-24PG	13.00	with heater and blower	Aluminum	CCHM-8PG	N/A	N/A	HCM-12 CCHCM-1 HCM-3	CCHPM-3, HPM-3 CCHPM-6, HPM-6 CCHPM-12, HPM-12
14BHI-24	14.00	with heater and blower	Plastic	N/A	CCHM-8	CCHM-8P	HCM-12 CCHCM-1	CCHPM-3 CCHPM-6 CCHPM-12
14BI-24	14.00	with blower	Plastic	N/A	CCHM-8	CCHM-8P	HCM-12 CCHCM-1	CCHPM-3 CCHPM-6 CCHPM-12
14HI-24	14.00	with heater	Plastic	N/A	CCHM-8	CCHM-8P	HCM-12 CCHCM-1	CCHPM-3 CCHPM-6 CCHPM-12
15BHI-24	15.00	with heater and blower	Aluminum	N/A	CCHM-9.5	CCHM-9.5P	HCM-12 CCHCM-1 HCM-3	HPM-3 CCHPM-6, HPM-6 CCHPM-12, HPM-12
15BI-24	15.00	with blower	Aluminum	N/A	CCHM-9.5	CCHM-9.5P	HCM-12 CCHCM-1 HCM-3	HPM-3 CCHPM-6, HPM-6 CCHPM-12, HPM-12
15HI-24	15.00	with heater	Aluminum	N/A	CCHM-9.5	CCHM-9.5P	HCM-12 CCHCM-1 HCM-3	HPM-3 CCHPM-6, HPM-6 CCHPM-12, HPM-12

CAMERA HOUSINGS WITH 120V HEATER AND BLOWER UNITS INSTALLED

Item Number	Size (in.)	Description	Shell Material	Compatible Mounts				
				Top	Wall	Pole	Ceiling	Pedestal
10BHI-120	10.00	with heater and blower	Aluminum	N/A	CCHM-8	CCHM-8P	HCM-12 CCHCM-1 HCM-3	CCHPM-3, HPM-3 CCHPM-6, HPM-6 CCHPM-12, HPM-12
10BI-120	10.00	with blower	Aluminum	N/A	CCHM-8	CCHM-8P	HCM-12 CCHCM-1 HCM-3	CCHPM-3, HPM-3 CCHPM-6, HPM-6 CCHPM-12, HPM-12
10HI-120	10.00	with heater	Aluminum	N/A	CCHM-8	CCHM-8P	HCM-12 CCHCM-1 HCM-3	CCHPM-3, HPM-3 CCHPM-6, HPM-6 CCHPM-12, HPM-12
10BHI-120PG	10.00	with heater and blower	Aluminum	CCHM-8PG	N/A	N/A	HCM-12 CCHCM-1 HCM-3	CCHPM-3, HPM-3 CCHPM-6, HPM-6 CCHPM-12, HPM-12
10HI-120MAG	10.00	with heater	Plastic	N/A	CCHM-8	CCHM-8P	HCM-12 CCHCM-1 HCM-3	CCHPM-3, HPM-3 CCHPM-6, HPM-6 CCHPM-12, HPM-12
12BHI-120	12.00	with heater and blower	Aluminum	N/A	CCHM-9.5	CCHM-9.5P	HCM-12 CCHCM-1 HCM-3	CCHPM-3, HPM-3 CCHPM-6, HPM-6 CCHPM-12, HPM-12
12BI-120	12.00	with blower	Aluminum	N/A	CCHM-9.5	CCHM-9.5P	HCM-12 CCHCM-1 HCM-3	CCHPM-3, HPM-3 CCHPM-6, HPM-6 CCHPM-12, HPM-12
12HI-120	12.00	with heater	Aluminum	N/A	CCHM-9.5	CCHM-9.5P	HCM-12 CCHCM-1 HCM-3	CCHPM-3, HPM-3 CCHPM-6, HPM-6 CCHPM-12, HPM-12
13BHI-120	13.00	with heater and blower	Aluminum	N/A	CCHM-8	CCHM-8P	HCM-12 CCHCM-1 HCM-3	CCHPM-3, HPM-3 CCHPM-6, HPM-6 CCHPM-12, HPM-12
13BI-120	13.00	with blower	Aluminum	N/A	CCHM-8	CCHM-8P	HCM-12 CCHCM-1 HCM-3	CCHPM-3, HPM-3 CCHPM-6, HPM-6 CCHPM-12, HPM-12
13HI-120	13.00	with heater	Aluminum	N/A	CCHM-8	CCHM-8P	HCM-12 CCHCM-1 HCM-3	CCHPM-3, HPM-3 CCHPM-6, HPM-6 CCHPM-12, HPM-12
13BHI-120PG	13.00	with heater and blower	Aluminum	CCHM-8PG	N/A	N/A	HCM-12 CCHCM-1 HCM-3	CCHPM-3, HPM-3 CCHPM-6, HPM-6 CCHPM-12, HPM-12
14BHI-120	14.00	with heater and blower	Plastic	N/A	CCHM-8	CCHM-8P	HCM-12 CCHCM-1	CCHPM-3 CCHPM-6 CCHPM-12
14BI-120	14.00	with blower	Plastic	N/A	CCHM-8	CCHM-8P	HCM-12 CCHCM-1	CCHPM-3 CCHPM-6 CCHPM-12
14HI-120	14.00	with heater	Plastic	N/A	CCHM-8	CCHM-8P	HCM-12 CCHCM-1	CCHPM-3 CCHPM-6 CCHPM-12
15BHI-120	15.00	with heater and blower	Aluminum	N/A	CCHM-9.5	CCHM-9.5P	HCM-12 CCHCM-1 HCM-3	HPM-3 CCHPM-6, HPM-6 CCHPM-12, HPM-12
15BI-120	15.00	with blower	Aluminum	N/A	CCHM-9.5	CCHM-9.5P	HCM-12 CCHCM-1 HCM-3	HPM-3 CCHPM-6, HPM-6 CCHPM-12, HPM-12
15HI-120	15.00	with heater	Aluminum	N/A	CCHM-9.5	CCHM-9.5P	HCM-12 CCHCM-1 HCM-3	HPM-3 CCHPM-6, HPM-6 CCHPM-12, HPM-12

Application Tips


- 14" plastic housing configurations must be used with housing mounts that use the Mini-HM-Head. See Housing Mounts.
- Environmental housings are offered in white finish only.
- All housings are provided with tamper-resistant security screws.
- Housing accessories can be ordered separately or factory installed. See Housing Accessories.

CEILING HOUSINGS

Item Number	Description	Inside Dimensions			Finish	Shipping Weight (lbs.)
		L (in.)	W (in.)	D (in.)		
CCOTCHB	On-the-ceiling housing 10-gauge steel	9.50	4.38	4.50	Beige	13
SO-ITCH*	In-the-ceiling wedge housing 16-gauge steel	11.63	4.81	3.50	Specify color / chart below	5
SO-ITCHD*	In-the-ceiling wedge housing 12-gauge steel	11.63	4.81	3.50	Specify color / chart below	7
SNITCH*	In-the-ceiling wedge housing 16-gauge steel	12.00	4.75	4.50	Specify color / chart below	9
SNITCHD*	In-the-ceiling wedge housing 12-gauge steel	12.00	4.75	4.50	Specify color / chart below	11
ITCH*	In-the-ceiling wedge housing 16-gauge steel	15.50	6.00	4.50	Specify color / chart below	12
ITCHD*	In-the-ceiling wedge housing 12-gauge steel	15.50	6.00	4.50	Specify color / chart below	14

* Specify color: "B"=Beige "W"=White

Example:SO-ITCHW



CCOTCHB



SO-ITCHD