

BLACK



SILVER

MAXIMUM LOAD 200LBS (91.0KG)

www.promounts.com




Universal Tilt Mount for 37" to 63" flat panels

The UT-PRO310 adjustable universal tilt mount is designed for large flat panel displays up to **200lbs (91kg)**. The adjustable "Touch and Tilt"® range is -10 to 20 degrees. The self-locking "Touch and Tilt" adjustment allows simple "hands only" movement of the screen, even when in place on the wall. Wall attachment is to two or three wood studs up to 32" apart or in a 32" concrete span.

- A very slim design only 2.5" deep yet allows ample room for cables
- Universal design; no additional panel adapter needed
- One piece mounting plate with large openings for cable access and J boxes
- VESA compliant: 75, 100, 200, 400, 200 x 100, 600 x 400, 800 x 400
- Post assembly vertical adjustment
- All panel and wall mounting hardware included
- Includes security hardware and accepts padlocks
- Manufacturer's limited lifetime warranty



UT-PRO310



The ProMount UT-PRO310 universal mount is compatible with virtually all flat panels within the specified weight and size range.

Specifications

Fits most flat panels between 37" and 63"
Horizontal hole spacing max: 32.6" (830mm)
Vertical hole spacing up to 20.9" (532mm)
VESA compliant: 75, 100, 200, 400, 200 x 100
600 x 400, 800 x 400

Weight

Estimated 15lbs (6.8kg)

Dimensions

TBA

Architects and Consultants: please contact ProMounts customer service for necessary drawings and files. For complete high resolution images, technical specifications and drawings please visit www.promounts.com and click on Download Center.

ProMounts: 5741 Buckingham Parkway, Unit C, Culver City, CA 90230 **Phone:** 866 668 6872, or 310 645 6400
Email: info@promounts.com **Fax:** 310 645 0189 **ProMounts** is a division of Scadlock LLC

Post Assembly Adjustment

Horizontal L or R from center:

400 VESA: up to 8.5" (216mm)

600 VESA: up to 4.5" (114mm)

800 VESA: up to 0.5" (12mm)

Vertical: 2.25" (57mm)

Wall Mounting

Attach to at least 2 wood studs up to 32" on center
or 2 points on concrete 16" to 32" apart

www.promounts.com