



[Features]

- Pine Extension Bracket
- Support up to 10kg
- Compatible with i3S700-series speed domes

[Application & Benefits]

The i3D709 provides an extra extension, 50 cm or 19.7 inches, to the i3S700-series speed dome when mounting on the ceiling. This part can be used in conjunction with the i3D704 or i3D705. With a diameter of 2.4 inches, the i3D704 can provide ample space for camera wiring. The i3D709 is rust-proof; it is made from steel alloy and is power coated with white paint. Call our customer care representative for further information.

i³ International produces a range of camera and DVR accessories applicable for many retail, commercial and industrial applications. From aluminum camera brackets to UTP & power Supplies our full line of accessories offer tremendous value to security and loss prevention professionals.

To learn more about our complete line of products, please visit our website or contact our customer care department at 1.866.840.0004.



ISO
9001:2008
REGISTERED
International Standards
Organization Registered Firm;
ISO 9001 Quality System



©2011 i³International. The i³ logo is property of i³International Inc. All rights reserved. Specifications, configurations, components and options listed are subject to change without notice. This data sheet may not be reproduced without permission.

www.i3international.com
1.866.840.0004


U.S.A. 440 Lawrence Bell Drive,
Suite 16, Williamsville.
NY, 14221

Canada 780 Birchmount Road
Unit 16, Scarborough
ON, M1K 5H4

i3D709 Pine Extension Bracket Specifications

Specification	
Dimensions	ø62mm x 500mm
Weight	1.4 kg
Shipping size	520mm x 130mm x 70mm
Construction	Aluminum
Colour	White

i3D709 Pine Extension Bracket Technical Drawing



Specification

Features	
• Pine Extension Bracket	
• Support up to 10 kg	
• Compatible with i3D730PTZ + i3D750PTZ speed domes	
• Options: i3D702/i3D703/i3D704/i3D705/i3D706	
Mechanical Specifications	
Construction	Aluminum
Color	white
Dimensions (øxH)	ø62mm x 500mm
Weight (kg)	1.4 kg
Ordering information	
Model	i3D709
Shipping size	520mm x 130mm x 70mm
Shipping weight	1.4 kg

