

PDC5502

1080P 10X Optical Zoom IR MINI Bullet PTZ



Features

- 1/2.9" 2Megapixel SONY CMOS
- 5.1-51mm Zoom Lens, Coaxial Control Lens
- Max. IR LEDs length 240ft, Smart IR
- IP67, DC12V
- 10X Zoom

PDC5502

Technical Specifications

SPECIFICATION			
Model		PDC5502	
camera	Image sensor	1/2.8" Sony 322 Exmor CMOS Sensor	
	Effective pixel	1080P(1920X1080)	
	Electronic Shutter	1/25s ~ 1/100000s	
	Iris	F1.6~F22	
	Day & Night	ICR	
	Min. Illumination	0.01Lux @(F2.0,AGC ON) ,0 Lux with IR	
	Audio compression	G.711-U law	
	Image Settings	AWB, AGC Adjustable	
		Exposure Mode (Auto/Iris Priority/Shutter Priority/Manual)	
		Sharpness, Saturation, Brightness & Contrast Adjustable	
	WDR Range	Digital WDR	
	Noise Reduction	2D/3D-DNR	
	Image Orientation	Mirror/Flip	
Privacy Zone	Yes		
Motion Detection	Yes		
Video compression	Main chip	NVP2440H	
	Video Compression	H.264	
	Resolution	50HZ:25fps(1280x720) (1280x960) 60HZ:30fps (1280x720) (1280x960)	
	Bit rate	32kbps-16Mbps	
	Encode Mode	VBR/CBR	
	Image Quality	Five levels under VBR; Free adjustment under CBR	
Housing	Lens	5.1-51mm	
	Iris	Auto Iris	
	Water-proof	IP67	
	Bracket	Yes	
	Dimensions	153mm×93mm×130mm (L×W×H)	

PDC5502

	Weight(gross)	920g
PTZ	Optical Zoom	10X
	IR Distance	80M
	Pan Rotation Range	0° ~250 °
	Tilt Rotation Range	—5° ~55 °
	Pan Speed	0.5° ~12 ° /s
	Tilt Speed	0.5° ~10 ° /s
	Preset Position	256
others	Power	DC12V
	working Temp	-35°C~60°C, 10%~90% Humidity