













## WAGO CPO Series




DIN Rail Mount Outlet Boxes

# DIN RAIL MOUNT OUTLET BOXES

The WAGO CPO Series of DIN rail mount Convenient Power Outlets provides a convenient power source in the control cabinet, for laptops, solder irons, electrical screwdrivers, test equipment, lighting, etc. The CPO Series significantly reduces time, cost and frustration compared to the manual assembly of outlet boxes.

- Power input terminal blocks with CAGE CLAMP® connection technology for fast, easy and maintenance-free wiring
- Built-in test point for easy troubleshooting
- Power input terminal block is pre-marked for safe wiring
- Compact design takes up less space
- Complete family of solutions to choose from








	Rated Current: 15 A	Rated Current: 20 A	Rated Current: 15 A w/MCS connector	Rated Current: 15 A w/Right angle connector	D
<b>DUPEX</b> Rated Voltage: 120 V 28 - 12 AWG 35 mm DIN rail	 Duplex Outlet <b>51017543</b> <small>UL</small>	 Duplex Outlet <b>51012218</b> <small>UL</small>	 Duplex Outlet <b>51194042</b> <small>UL</small>		Duplex <b>5101513</b> <small>UL</small>
<b>GFCI</b> Rated Voltage: 120 V 28 - 12 AWG 35 mm DIN rail	 Duplex Outlet <b>51197944</b> <small>UL</small>	 Duplex Outlet <b>51191840</b> <small>UL</small>	 Duplex Outlet <b>51018351</b> <small>UL</small>	 Duplex Outlet <b>51012352</b> <small>UL</small>	
<b>ISOLATED GROUND</b> Rated Voltage: 125 V 28 - 12 AWG 35 mm DIN rail	 Duplex Outlet <b>51018302</b> <small>UL</small>				Duplex <b>510123</b> <small>UL</small>
<b>SWITCH</b> Rated Voltage: 120 V 28 - 12 AWG 35 mm DIN rail	 Outlet w/ Separate Switch <b>51012299</b> <small>UL</small>		 Switched Controlled Outlet <b>51018377</b> <small>UL</small>		

<b>PCB OUTLETS</b> Rated Voltage: 125 V 28 - 12 AWG 35 mm DIN rail	 PCB Outlet Receptacle w/load terminals 15 A <b>51015188</b> <small>UL</small>	 5 Amp Fused PCB Outlet Receptacle w/load terminals & red LED <b>51198488</b> <small>UL</small>	 PCB Duplex Outlet Receptacle 15 A <b>51195982</b> <small>UL</small>	 PCB Duplex Outlet Receptacle w/red LED 15 A <b>51198396</b> <small>UL</small>
---	---	---	--	---



**ACCESSORIES**

DIN rail, slotted 35 x 7.5 mm (2 M)	210-113	10	
End Stop	249-116*	100	*For horizontal mounting model, use (I) 209-137 mounting adapter as an end stop on the termination side
Screwdriver	210-620	1	
Wire cutter and stripper	206-130	1	

Rated Current: 15 A Double connection per pole	Rated Current: 20 A Double connection per pole	Rated Current: 15 A w/ load terminals	Rated Current: 20 A w/ load terminals	Rated Current: 15 A Horizontally mounted
 Outlet <b>35</b>	 Duplex Outlet <b>51187666</b> <small>eNS</small>			 Duplex Outlet <b>51018372</b> <small>eNS</small>
		 Duplex Outlet <b>51015045</b> <small>eNS</small>	 Duplex Outlet <b>51015043</b> <small>eNS</small>	
 Outlet <b>56</b>				
	 Outlet w/ Separate Switch <b>51012312</b> <small>eNS</small>			

**SPECIAL**

Rated Voltage: various  
28 - 12 AWG  
35 mm DIN rail

 Duplex Combination Outlet <b>51010782</b> <small>eNS</small>	 Surge-Protected Outlet <b>51012222</b> <small>eNS</small>	 GFCI Dead Front w/load terminals <b>51188899</b> <small>eNS</small>	 European "Schuko" Outlet <b>51012216</b>	 Switched Box <b>51018358</b> <small>eNS</small>
120/240 V 15 A 28 -12 AWG 35 mm DIN rail	120 V 15 A 28 -12 AWG 35 mm DIN rail	120 V 20 A 28 -12 AWG 35 mm DIN rail	250 V 15 A 28 -12 AWG 35 mm DIN rail	250 V 15 A 28 -12 AWG 35 mm DIN rail

## WAGO Service Worldwide

### Germany

WAGO Kontakttechnik  
Minden  
Tel. ++0571/887-443  
Fax ++0571/887-541

### Austria

WAGO Kontakttechnik  
GmbH Wien  
Tel. ++43/1/615 07 80  
Fax ++43/1/615 07 75

### Belgium

WAGO Kontakttechnik  
Zaventem  
Tel. ++32/2/7 17 90 90  
Fax ++32/2/7 17 90 99

### China

WAGO ELECTRONIC Co. Ltd.  
Tianjin  
Tel.  
++86/22/82125854/64/74  
Fax ++86/22/82125984

### England

WAGO, Ltd.  
Rugby  
Tel. ++44/1788/568008  
Fax ++44/1788/568050

### France

WAGO CONTACT SA.  
Paris  
Tel. ++33/148172590  
Fax ++33/148632520

### Italy

WAGO ELETTRONICA SRL  
San Lazzaro di Savena (BO)  
Tel. ++39/051/625-91-25  
Fax ++39/051/625-91-27

### Japan

WAGO Co. of JAPAN Ltd.  
Tokyo  
Tel. ++81/3/3254/8881  
Fax ++81/3/3254/8885

### Poland

WAGO ELWAG sp. z o. o.  
Wroclaw  
Tel. ++48/71/33-66-626  
Fax ++48/71/33-60-952

### Singapore

WAGO Electronic Pte. Ltd.  
Singapur  
Tel. ++65/2866776  
Fax ++65/2842425

### Switzerland

WAGO CONTACT SA  
Domdidier  
Tel. ++65/2866776  
Fax ++65/2842425

### Mexico

WAGO Corporation  
Tel. 001-800-309-5975  
+ 52-(55)-26-44-69-16  
Fax + 52-(55)-26-44-69-15

### Canada

WAGO Corporation  
Tel. 800 / DIN Rail (346-7245)  
Fax 262 / 255-3232

WAGO Corporation  
N120 W19129 Freistadt Road  
Germantown, Wisconsin 53022  
Telephone: 800 / DIN Rail (346-7245)  
Fax: 262 / 255-3232  
info.us@wago.com  
www.wago.us

